

SAVARA BEAUTY Desire Fragrance Ladies Inspired by Coco Mademoiselle

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010
Issue date: 6/9/2025 Revision date: 6/9/2027

SECTION 1: Identification

1.1. Product identifier

Product form	: Mixture
Trade name	: Desire Fragrance Ladies Inspired by Coco Mademoiselle
Type of product	: Perfumes, Fragrances
Product code	: SH1937
Product group	: Cosmetics, personal care products

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture	: Perfume
------------------------------	-----------

1.3. Supplier's details

Manufacturer

Savara Beauty
9 London St
Apex Benoni
South Africa
T 0104482444

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture


Classification according to the United Nations GHS

Serious eye damage/eye irritation, Category 2A	H319
Skin sensitisation, Category 1	H317
Reproductive toxicity, Category 2	H361
Hazardous to the aquatic environment – Chronic Hazard, Category 2	H411

Full text of H-statements: see section 16

2.2. Label elements

Labelling according to the United Nations GHS

Hazard pictograms (GHS ZA)	: 
Signal word (GHS-ZA)	: Warning
Hazardous ingredients	: linalool, hexyl salicylate, linalyl acetate, 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one, alpha-methyl-1,3-benzodioxole-5-propanal, D-limonene, acetyl cedrene, beta-citronellol, (+/-)-, 3-(p-Cumenyl)-2-methylpropionaldehyde, alpha-hexylcinnamaldehyde, coumarin, 3-p-cumenyl-2-methylpropionaldehyde, beta-pinene, Methyl 2,4-dihydroxy-3,6-dimethylbenzoate, (E)-3-methyl-5-cyclopentadecen-1-one, Allyl (cyclohexyloxy) acetate, p-mentha-1,4-diene
Hazard statements (GHS ZA)	: H317 - May cause an allergic skin reaction H319 - Causes serious eye irritation H361 - Suspected of damaging fertility. (Inhalation) H411 - Toxic to aquatic life with long lasting effects
Precautionary statements (GHS ZA)	: P101 - If medical advice is needed, have product container or label at hand. P102 - Keep out of reach of children.

Desire Fragrance Ladies Inspired by Coco Mademoiselle

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

P103 - Read carefully and follow all instructions.
P203 - Obtain, read and follow all safety instructions before use.
P261 - Avoid breathing vapours, spray, mist, gas, fume, dust.
P272 - Contaminated work clothing should not be allowed out of the workplace.
P273 - Avoid release to the environment.
P280 - Wear protective clothing, eye protection, face protection.
P302+P352 - IF ON SKIN: Wash with plenty of soap and water
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P318 - IF exposed or concerned, get medical advice.
P321 - Specific treatment (see supplemental first aid instruction on this label).
P333+P317 - If skin irritation or rash occurs: Get medical help.
P362+P364 - Take off contaminated clothing and wash it before reuse.
P391 - Collect spillage.
P405 - Store locked up.
P501 - Dispose of contents and container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards

Adverse physicochemical, human health and environmental effects

: Suspected of damaging fertility or the unborn child, May cause an allergic skin reaction, Causes serious eye irritation, Toxic to aquatic life with long lasting effects.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to the United Nations GHS
linalool	CAS-No.: 78-70-6 EC Index-No.: 603-235-00-2	2.4 – 3.3	Flam. Liq. 4, H227 Acute Tox. Not classified (Dermal) Skin Sens. 1B, H317
hexyl salicylate	CAS-No.: 6259-76-3	0.75 – 1.5	Flam. Liq. Not classified Acute Tox. Not classified (Oral) Acute Tox. Not classified (Dermal) Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
linalyl acetate	CAS-No.: 115-95-7	0.75 – 1.5	Flam. Liq. 4, H227 Acute Tox. Not classified (Oral) Acute Tox. Not classified (Dermal) Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317 Aquatic Acute 3, H402
1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	CAS-No.: 54464-57-2	0.75 – 1.5	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Chronic 1, H410
alpha-methyl-1,3-benzodioxole-5-propanal	CAS-No.: 1205-17-0	0.75 – 1.5	Flam. Liq. Not classified Acute Tox. 5 (Oral), H303 Acute Tox. 5 (Dermal), H313 Skin Sens. 1B, H317 Repr. 2, H361 Aquatic Acute 2, H401 Aquatic Chronic 2, H411

Desire Fragrance Ladies Inspired by Coco Mademoiselle

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Name	Product identifier	%	Classification according to the United Nations GHS
D-limonene	CAS-No.: 5989-27-5	0.3 – 0.75	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
acetyl cedrene	CAS-No.: 32388-55-9	0.3 – 0.75	Flam. Liq. Not classified Skin Sens. 1B, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
beta-citronellol, (+/-)-	CAS-No.: 106-22-9	0.03 – 0.3	Flam. Liq. Not classified Acute Tox. 5 (Oral), H303 Acute Tox. 5 (Dermal), H313 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Acute 2, H401
3-(p-Cumenyl)-2-methylpropionaldehyde	CAS-No.: 6658-48-6	0.03 – 0.3	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Repr. 2, H361 Aquatic Acute Not classified
alpha-hexylcinnamaldehyde	CAS-No.: 101-86-0	0.03 – 0.3	Flam. Liq. Not classified Acute Tox. 5 (Oral), H303 Acute Tox. 5 (Dermal), H313 Acute Tox. 3 (Inhalation:vapour), H331 Skin Sens. 1B, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
coumarin	CAS-No.: 91-64-5	0.03 – 0.3	Acute Tox. 4 (Oral), H302 Skin Sens. 1, H317 Aquatic Acute 2, H401 Aquatic Chronic 3, H412
3-p-cumenyl-2-methylpropionaldehyde	CAS-No.: 103-95-7	0.03 – 0.3	Flam. Liq. 4, H227 Acute Tox. 5 (Oral), H303 Acute Tox. Not classified (Dermal) Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Acute 2, H401 Aquatic Chronic 3, H412
beta-pinene	CAS-No.: 127-91-3	0.03 – 0.3	Flam. Liq. 3, H226 Acute Tox. 5 (Oral), H303 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Methyl 2,4-dihydroxy-3,6-dimethylbenzoate	-	0.03 – 0.3	Acute Tox. Not classified (Oral) Acute Tox. Not classified (Dermal) Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1B, H317 STOT SE 3, H335 Aquatic Acute Not classified

Desire Fragrance Ladies Inspired by Coco Mademoiselle

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Name	Product identifier	%	Classification according to the United Nations GHS
(E)-3-methyl-5-cyclopentadecen-1-one	EC Index-No.: 606-119-00-X	0.03 – 0.3	Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Allyl (cyclohexyloxy) acetate	-	0.03 – 0.3	Flam. Liq. Not classified Acute Tox. 4 (Oral), H302 Acute Tox. Not classified (Dermal) Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
p-mentha-1,4-diene	-	0.03 – 0.3	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Acute Tox. Not classified (Dermal) Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317 Repr. 2, H361 STOT SE 3, H335 Asp. Tox. 1, H304 Aquatic Acute Not classified Aquatic Chronic 2, H411

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: IF exposed or concerned: Get medical advice/attention.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact	: May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

Desire Fragrance Ladies Inspired by Coco Mademoiselle

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No additional information available

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.
Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
Other information : Dispose of materials or solid residues at an authorized site.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.
Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep cool.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.
Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures, such as personal protective equipment (PPE)

Hand protection : Protective gloves
Eye protection : Safety glasses
Skin and body protection : Wear suitable protective clothing
Respiratory protection : [In case of inadequate ventilation] wear respiratory protection.

Personal protective equipment symbol(s):



Desire Fragrance Ladies Inspired by Coco Mademoiselle

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

8.4. Exposure limit values for the other components

No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Liquid.
Colour	: Colourless.
Odour	: Characteristics.
Odour threshold	: No data available
pH	: No data available
pH solution	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Relative evaporation rate (ether=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability	: Non flammable.
Vapour pressure	: No data available
Vapour pressure at 50°C	: No data available
Relative vapour density at 20°C	: No data available
Relative density	: No data available
Relative density of saturated gas/air mixture	: No data available
Density	: No data available
Relative gas density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Partition coefficient n-octanol/water (Log Kow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available
Lower explosion limit	: No data available
Upper explosion limit	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

Desire Fragrance Ladies Inspired by Coco Mademoiselle

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

linalool (78-70-6)	
LD50 oral rat	2790 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male / female, Weight of evidence, Oral, 014 day(s))
LD50 oral	≈ 2790 mg/kg
LD50 dermal rabbit	5610 mg/kg bodyweight (Equivalent or similar to OECD 402, 24 h, Rabbit, Experimental value, Dermal, 7 day(s))

hexyl salicylate (6259-76-3)	
LD50 oral rat	> 5000 mg/kg (Equivalent or similar to OECD 401, Rat, Experimental value, Oral)
LD50 dermal rabbit	> 5000 mg/kg (Equivalent or similar to OECD 402, Rabbit, Experimental value, Dermal)

linalyl acetate (115-95-7)	
LD50 oral rat	> 9000 mg/kg bodyweight (BASF test, Rat, Male / female, Experimental value, Oral, 7 day(s))
LD50 dermal rabbit	> 5000 mg/kg bodyweight (Rabbit, Experimental value, Dermal, 14 day(s))

alpha-methyl-1,3-benzodioxole-5-propanal (1205-17-0)	
LD50 oral rat	3362 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	> 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, Rabbit, Male / female, Experimental value, Dermal, 14 day(s))

D-limonene (5989-27-5)	
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method)

beta-citronellol, (+/-)- (106-22-9)	
LD50 oral rat	3450 mg/kg (Rat, Experimental value, Oral)
LD50 dermal rabbit	2650 mg/kg (Rabbit, Experimental value, Dermal)

alpha-hexylcinnamaldehyde (101-86-0)	
LD50 oral rat	3100 mg/kg (Equivalent or similar to OECD 401, Rat, Male, Experimental value of similar product, Isomer, Oral, 14 day(s))
LD50 dermal rabbit	> 3000 mg/kg (Equivalent or similar to OECD 402, 24 h, Rabbit, Female, Experimental value of similar product, Isomer, Dermal, 7 day(s))
LC50 Inhalation - Rat	> 5 mg/l (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value of similar product, Isomer, Inhalation (aerosol), 14 day(s))

Desire Fragrance Ladies Inspired by Coco Mademoiselle

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

coumarin (91-64-5)	
LD50 oral rat	680 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))
3-p-cumenyl-2-methylpropionaldehyde (103-95-7)	
LD50 oral rat	3810 mg/kg (Rat, Male / female, Weight of evidence, Oral, 14 day(s))
LD50 dermal rat	> 5000 mg/kg (Rat, Male, Experimental value, Dermal, 14 day(s))
beta-pinene (127-91-3)	
LD50 oral rat	4700 mg/kg (Rat, Oral)
Methyl 2,4-dihydroxy-3,6-dimethylbenzoate	
LD50 oral rat	≈ 5000 mg/kg
LD50 dermal rat	≈ 5000 mg/kg
Allyl (cyclohexyloxy) acetate	
LD50 oral rat	≈ 620.42 mg/kg
LD50 dermal rat	≈ 2000 mg/kg
p-mentha-1,4-diene	
LD50 oral rat	≈ 2000 mg/kg
LD50 dermal rat	≈ 2000 mg/kg
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Suspected of damaging fertility. (Inhalation).
STOT-single exposure	: Not classified
Methyl 2,4-dihydroxy-3,6-dimethylbenzoate	
STOT-single exposure	Not available
p-mentha-1,4-diene	
STOT-single exposure	Not available
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
linalool (78-70-6)	
Animal studies and expert judgment for classification	False
hexyl salicylate (6259-76-3)	
Animal studies and expert judgment for classification	False
linalyl acetate (115-95-7)	
Animal studies and expert judgment for classification	False
1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one (54464-57-2)	
Animal studies and expert judgment for classification	False
alpha-methyl-1,3-benzodioxole-5-propanal (1205-17-0)	
Animal studies and expert judgment for classification	False
D-limonene (5989-27-5)	
Animal studies and expert judgment for classification	False

Desire Fragrance Ladies Inspired by Coco Mademoiselle

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

acetyl cedrene (32388-55-9)	
Animal studies and expert judgment for classification	False
beta-citronellol, (+/-)- (106-22-9)	
Animal studies and expert judgment for classification	False
3-(p-Cumenyl)-2-methylpropionaldehyde (6658-48-6)	
Animal studies and expert judgment for classification	False
alpha-hexylcinnamaldehyde (101-86-0)	
Animal studies and expert judgment for classification	False
coumarin (91-64-5)	
Animal studies and expert judgment for classification	False
3-p-cumenyl-2-methylpropionaldehyde (103-95-7)	
Animal studies and expert judgment for classification	False
beta-pinene (127-91-3)	
Animal studies and expert judgment for classification	False
Methyl 2,4-dihydroxy-3,6-dimethylbenzoate	
Animal studies and expert judgment for classification	False
(E)-3-methyl-5-cyclopentadecen-1-one	
Animal studies and expert judgment for classification	False
Allyl (cyclohexyloxy) acetate	
Animal studies and expert judgment for classification	False
p-mentha-1,4-diene	
Animal studies and expert judgment for classification	False

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: Toxic to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Toxic to aquatic life with long lasting effects.

linalool (78-70-6)	
LC50 - Fish [1]	27.8 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, GLP)
EC50 - Crustacea [1]	59 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
ErC50 algae	156.7 mg/l (DIN 38412-9, 96 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, Nominal concentration)
Partition coefficient n-octanol/water (Log Pow)	2.8 (Experimental value, Equivalent or similar to OECD 107, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.9 – 2.2 (log Koc, SRC PCKOCWIN v2.0, Calculated value)

Desire Fragrance Ladies Inspired by Coco Mademoiselle

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

hexyl salicylate (6259-76-3)	
LC50 - Fish [1]	100 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Static system, Fresh water, Experimental value)
EC50 - Crustacea [1]	0.36 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semi-static system, Fresh water, Experimental value, GLP)
ErC50 algae	0.61 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Read-across, GLP)
BCF - Fish [1]	8913 l/kg (Pisces, Flow-through system, Calculated value)
Partition coefficient n-octanol/water (Log Pow)	5.5 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 30 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.5 (log Koc, Calculated value)
linalyl acetate (115-95-7)	
LC50 - Fish [1]	11 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Cyprinus carpio, Flow-through system, Fresh water, Experimental value, GLP)
EC50 - Crustacea [1]	59 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)
ErC50 algae	157 mg/l (DIN 38412-9, 96 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, Nominal concentration)
BCF - Fish [1]	174 l/kg (BCFBAF v3.00, Pisces, Calculated value, Fresh weight)
Partition coefficient n-octanol/water (Log Pow)	3.9 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2.7 (log Koc, PCKOCWIN v1.66, Calculated value)
alpha-methyl-1,3-benzodioxole-5-propanal (1205-17-0)	
LC50 - Fish [1]	5.3 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Semi-static system, Fresh water, Experimental value, GLP)
EC50 - Crustacea [1]	8.3 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)
ErC50 algae	28 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Nominal concentration)
Partition coefficient n-octanol/water (Log Pow)	2.4 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.85 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP)
D-limonene (5989-27-5)	
LC50 - Fish [1]	720 µg/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [1]	0.36 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	8 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
NOEC (chronic)	0.115 mg/l Test organisms (species): other:For freshwater invertebrates, species frequently include Daphnia magna or Daphnia pulex. Duration: '16 d'
acetyl cedrene (32388-55-9)	
LC50 - Fish [1]	3 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Static system, Experimental value, GLP)

Desire Fragrance Ladies Inspired by Coco Mademoiselle

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

acetyl cedrene (32388-55-9)	
EC50 - Crustacea [1]	0.86 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Experimental value, GLP)
ErC50 algae	4.3 mg/l (OECD 201: Alga, Growth Inhibition Test, 96 h, Pseudokirchneriella subcapitata, Static system, Experimental value, GLP)
BCF - Fish [1]	867 – 3920 (OECD 305: Bioconcentration: Flow-Through Fish Test, 28 day(s), Oncorhynchus mykiss, Flow-through system, Fresh water, Experimental value, GLP)
Partition coefficient n-octanol/water (Log Pow)	5.6 – 5.9 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.5 – 5.1 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP)
beta-citronellol, (+/-)- (106-22-9)	
LC50 - Fish [1]	15 mg/l (DIN 38412-15, 96 h, Leuciscus idus, Static system, Fresh water, Experimental value, Nominal concentration)
EC50 - Crustacea [1]	17 mg/l (EU Method, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Nominal concentration)
EC50 72h - Algae [1]	2.4 mg/l (UBA, Scenedesmus subspicatus, Static system, Fresh water, Experimental value, Nominal concentration)
BCF - Fish [1]	83 l/kg (BCFBAF v3.00, Estimated value)
Partition coefficient n-octanol/water (Log Pow)	3.4 (Experimental value, EU Method A.8: Partition Coefficient, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.9 (log Koc, EPIWIN 2.00, Estimated value)
3-(p-Cumenyl)-2-methylpropionaldehyde (6658-48-6)	
LC50 - Fish [1]	≈ 11.3 mg/l
EC50 72h - Algae [1]	≈ 1.44 mg/l
alpha-hexylcinnamaldehyde (101-86-0)	
LC50 - Fish [1]	1.7 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value of similar product, Other isomer)
EC50 - Crustacea [1]	0.36 – 0.59 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Flow-through system, Fresh water, Experimental value of similar product, Other isomer)
ErC50 algae	> 0.065 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value of similar product, Other isomer)
Partition coefficient n-octanol/water (Log Pow)	5.3 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 24 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	4.2 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, Other isomer)
coumarin (91-64-5)	
LC50 - Fish [1]	2.94 mg/l (96 h, Pimephales promelas, QSAR, Lethal)
EC50 - Crustacea [1]	24.3 – 36.9 mg/l (48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)
Partition coefficient n-octanol/water (Log Pow)	1.51 (Estimated value, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.63 (log Koc, QSAR)

Desire Fragrance Ladies Inspired by Coco Mademoiselle

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

3-p-cumenyl-2-methylpropionaldehyde (103-95-7)	
LC50 - Fish [1]	1.092 mg/l (96 h, Calculated value)
EC50 - Crustacea [1]	1.4 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semi-static system, Fresh water, Experimental value)
BCF - Fish [1]	155 l/kg (Calculated value)
Partition coefficient n-octanol/water (Log Pow)	3.4 (Practical experience/observation, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 35 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.05 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)
beta-pinene (127-91-3)	
LC50 - Fish [1]	0.557 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Cyprinus carpio, Semi-static system, Fresh water, Weight of evidence, Other isomer)
ErC50 algae	0.826 mg/l (OECD 201: Alga, Growth Inhibition Test, 48 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Weight of evidence, Other isomer)
BCF - Fish [1]	1125 l/kg (BCFBAF v3.01, Pisces, Fresh water, QSAR, Other isomer)
Partition coefficient n-octanol/water (Log Pow)	4.425 (Similar product, Read-across, Equivalent or similar to OECD 107, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.009 – 3.836 (log Koc, Calculated value, Other isomer)
Methyl 2,4-dihydroxy-3,6-dimethylbenzoate	
LC50 - Fish [1]	≈ 5.2 mg/l
EC50 72h - Algae [1]	≈ 3.3 mg/l
Allyl (cyclohexyloxy) acetate	
LC50 - Fish [1]	≈ 0.205 mg/l
EC50 72h - Algae [1]	36.6 – 69.2 mg/l
p-mentha-1,4-diene	
LC50 - Fish [1]	≈ 2.792 mg/l
EC50 72h - Algae [1]	≈ 10.82 mg/l
12.2. Persistence and degradability	
Desire Fragrance Ladies Inspired by Coco Mademoiselle	
Persistence and degradability	No additional information available
linalool (78-70-6)	
Persistence and degradability	Readily biodegradable in water.
hexyl salicylate (6259-76-3)	
Persistence and degradability	Readily biodegradable in water.
ThOD	2.36 g O ₂ /g substance
linalyl acetate (115-95-7)	
Persistence and degradability	Readily biodegradable in water.
alpha-methyl-1,3-benzodioxole-5-propanal (1205-17-0)	
Persistence and degradability	Not readily biodegradable in water.

Desire Fragrance Ladies Inspired by Coco Mademoiselle

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

acetyl cedrene (32388-55-9)	
Persistence and degradability	Not readily biodegradable in water.
beta-citronellol, (+/-)- (106-22-9)	
Persistence and degradability	Readily biodegradable in water.
Chemical oxygen demand (COD)	2.05 g O ₂ /g substance
ThOD	2.961 g O ₂ /g substance
alpha-hexylcinnamaldehyde (101-86-0)	
Persistence and degradability	Readily biodegradable in water.
coumarin (91-64-5)	
Persistence and degradability	Readily biodegradable in water.
3-p-cumenyl-2-methylpropionaldehyde (103-95-7)	
Persistence and degradability	Readily biodegradable in water.
beta-pinene (127-91-3)	
Persistence and degradability	Readily biodegradable in water.
12.3. Bioaccumulative potential	
Desire Fragrance Ladies Inspired by Coco Mademoiselle	
Bioaccumulative potential	No additional information available
linalool (78-70-6)	
Partition coefficient n-octanol/water (Log Pow)	2.8 (Experimental value, Equivalent or similar to OECD 107, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.9 – 2.2 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
hexyl salicylate (6259-76-3)	
BCF - Fish [1]	8913 l/kg (Pisces, Flow-through system, Calculated value)
Partition coefficient n-octanol/water (Log Pow)	5.5 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 30 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.5 (log Koc, Calculated value)
Bioaccumulative potential	High potential for bioaccumulation (BCF > 5000).
linalyl acetate (115-95-7)	
BCF - Fish [1]	174 l/kg (BCFBAF v3.00, Pisces, Calculated value, Fresh weight)
Partition coefficient n-octanol/water (Log Pow)	3.9 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2.7 (log Koc, PCKOCWIN v1.66, Calculated value)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
alpha-methyl-1,3-benzodioxole-5-propanal (1205-17-0)	
Partition coefficient n-octanol/water (Log Pow)	2.4 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.85 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP)

Desire Fragrance Ladies Inspired by Coco Mademoiselle

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

alpha-methyl-1,3-benzodioxole-5-propanal (1205-17-0)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
acetyl cedrene (32388-55-9)	
BCF - Fish [1]	867 – 3920 (OECD 305: Bioconcentration: Flow-Through Fish Test, 28 day(s), Oncorhynchus mykiss, Flow-through system, Fresh water, Experimental value, GLP)
Partition coefficient n-octanol/water (Log Pow)	5.6 – 5.9 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.5 – 5.1 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP)
Bioaccumulative potential	Potential for bioaccumulation (500 ≤ BCF ≤ 5000).
beta-citronellol, (+/-)- (106-22-9)	
BCF - Fish [1]	83 l/kg (BCFBAF v3.00, Estimated value)
Partition coefficient n-octanol/water (Log Pow)	3.4 (Experimental value, EU Method A.8: Partition Coefficient, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.9 (log Koc, EPIWIN 2.00, Estimated value)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
alpha-hexylcinnamaldehyde (101-86-0)	
Partition coefficient n-octanol/water (Log Pow)	5.3 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 24 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	4.2 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, Other isomer)
Bioaccumulative potential	High potential for bioaccumulation (Log Kow > 5).
coumarin (91-64-5)	
Partition coefficient n-octanol/water (Log Pow)	1.51 (Estimated value, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.63 (log Koc, QSAR)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
3-p-cumenyl-2-methylpropionaldehyde (103-95-7)	
BCF - Fish [1]	155 l/kg (Calculated value)
Partition coefficient n-octanol/water (Log Pow)	3.4 (Practical experience/observation, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 35 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.05 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
beta-pinene (127-91-3)	
BCF - Fish [1]	1125 l/kg (BCFBAF v3.01, Pisces, Fresh water, QSAR, Other isomer)
Partition coefficient n-octanol/water (Log Pow)	4.425 (Similar product, Read-across, Equivalent or similar to OECD 107, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.009 – 3.836 (log Koc, Calculated value, Other isomer)
Bioaccumulative potential	Potential for bioaccumulation (4 ≤ Log Kow ≤ 5).

Desire Fragrance Ladies Inspired by Coco Mademoiselle

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

12.4. Mobility in soil

Desire Fragrance Ladies Inspired by Coco Mademoiselle

Mobility in soil	No additional information available
------------------	-------------------------------------

linalool (78-70-6)

Partition coefficient n-octanol/water (Log Pow)	2.8 (Experimental value, Equivalent or similar to OECD 107, 25 °C)
---	--

Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.9 – 2.2 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
--	--

Ecology - soil	Low potential for adsorption in soil.
----------------	---------------------------------------

hexyl salicylate (6259-76-3)

Surface tension	No data available in the literature
-----------------	-------------------------------------

Partition coefficient n-octanol/water (Log Pow)	5.5 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 30 °C)
---	---

Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.5 (log Koc, Calculated value)
--	---------------------------------

Ecology - soil	Low potential for mobility in soil.
----------------	-------------------------------------

linalyl acetate (115-95-7)

Surface tension	No data available in the literature
-----------------	-------------------------------------

Partition coefficient n-octanol/water (Log Pow)	3.9 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C)
---	--

Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2.7 (log Koc, PCKOCWIN v1.66, Calculated value)
--	---

Ecology - soil	Low potential for adsorption in soil.
----------------	---------------------------------------

alpha-methyl-1,3-benzodioxole-5-propanal (1205-17-0)

Partition coefficient n-octanol/water (Log Pow)	2.4 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C)
---	---

Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.85 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP)
--	--

Ecology - soil	Highly mobile in soil.
----------------	------------------------

acetyl cedrene (32388-55-9)

Partition coefficient n-octanol/water (Log Pow)	5.6 – 5.9 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method)
---	--

Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.5 – 5.1 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP)
--	---

Ecology - soil	Low potential for mobility in soil.
----------------	-------------------------------------

beta-citronellol, (+/-)- (106-22-9)

Surface tension	No data available in the literature
-----------------	-------------------------------------

Partition coefficient n-octanol/water (Log Pow)	3.4 (Experimental value, EU Method A.8: Partition Coefficient, 25 °C)
---	---

Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.9 (log Koc, EPIWIN 2.00, Estimated value)
--	---

Ecology - soil	Highly mobile in soil.
----------------	------------------------

Desire Fragrance Ladies Inspired by Coco Mademoiselle

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

alpha-hexylcinnamaldehyde (101-86-0)	
Partition coefficient n-octanol/water (Log Pow)	5.3 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 24 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	4.2 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, Other isomer)
Ecology - soil	Low potential for mobility in soil.
coumarin (91-64-5)	
Surface tension	No data available in the literature
Partition coefficient n-octanol/water (Log Pow)	1.51 (Estimated value, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.63 (log Koc, QSAR)
Ecology - soil	Highly mobile in soil.
3-p-cumenyl-2-methylpropionaldehyde (103-95-7)	
Partition coefficient n-octanol/water (Log Pow)	3.4 (Practical experience/observation, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 35 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.05 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)
Ecology - soil	Low potential for mobility in soil.
beta-pinene (127-91-3)	
Partition coefficient n-octanol/water (Log Pow)	4.425 (Similar product, Read-across, Equivalent or similar to OECD 107, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.009 – 3.836 (log Koc, Calculated value, Other isomer)
Ecology - soil	Low potential for mobility in soil.

12.5. Other adverse effects

Ozone : Not classified
Other adverse effects : No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with SANS / IMDG / IATA

SANS	IMDG	IATA
14.1. UN number		
1266	1266	1266
14.2. Proper Shipping Name		
PERFUMERY PRODUCTS	PERFUMERY PRODUCTS	Perfumery products
14.3. Transport hazard class(es)		
3	3	3

Desire Fragrance Ladies Inspired by Coco Mademoiselle

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

SANS	IMDG	IATA
14.4. Packing group		
III	III	III
14.5. Environmental hazards		
Dangerous for the environment : Yes	Dangerous for the environment : Yes Marine pollutant : Yes	Dangerous for the environment : Yes
No supplementary information available		

14.6. Special precautions for user

SANS

Limited quantities (SANS)	: 5 L
Limited quantities (SANS)	: 5 L
Packagings, large packagings and IBCs Packing instructions (SANS)	: P001, IBC02
Portable tank and bulk containers instructions (SANS)	: T4
Portable tank and bulk container special provisions (SANS)	: TP1, TP8

IMDG

Special provisions (IMDG)	: 163
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E2
Packing instructions (IMDG)	: P001
IBC packing instructions (IMDG)	: IBC02
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP1, TP8
EmS-No. (Fire)	: F-E - FIRE SCHEDULE Echo - NON-WATER-REACTIVE FLAMMABLE LIQUIDS
EmS-No. (Spillage)	: S-D - SPILLAGE SCHEDULE Delta - FLAMMABLE LIQUIDS
Stowage category (IMDG)	: B
Properties and observations (IMDG)	: Miscibility with water depends upon the composition.

IATA

PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y341
PCA limited quantity max net quantity (IATA)	: 1L
PCA packing instructions (IATA)	: 353
PCA max net quantity (IATA)	: 5L
CAO packing instructions (IATA)	: 364
CAO max net quantity (IATA)	: 60L
Special provisions (IATA)	: A3, A72
ERG code (IATA)	: 3L

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health, and environmental national regulations specific for the product

No additional information available

Desire Fragrance Ladies Inspired by Coco Mademoiselle

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

SECTION 16: Other information

Issue date : 09/06/2025
Revision date : 09/06/2027

Full text of H-statements	
H224	Extremely flammable liquid and vapour
H226	Flammable liquid and vapour
H227	Combustible liquid
H302	Harmful if swallowed
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H331	Toxic if inhaled
H335	May cause respiratory irritation
H361	Suspected of damaging fertility or the unborn child
H373	May cause damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

Safety Data Sheet (SDS), South Africa

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.