

# SAVARA BEAUTY Desire Fragrance Ladies Inspired by Far & Away

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010  
Issue date: 6/9/2025 Revision date: 6/9/2027

### SECTION 1: Identification

#### 1.1. Product identifier

Product form : Mixture  
Trade name : Desire Fragrance Ladies Inspired by Far & Away  
Type of product : Perfumes, Fragrances  
Product code : SH1906  
Product group : Cosmetics, personal care products

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Perfume

#### 1.3. Supplier's details

##### Manufacturer

Savara Beauty  
9 London St  
Apex Benoni  
South Africa  
T 0104482444

#### 1.4. Emergency telephone number

No additional information available

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to the United Nations GHS

Serious eye damage/eye irritation, Category 2A H319  
Skin sensitisation, Category 1 H317  
Hazardous to the aquatic environment – Chronic Hazard, Category 2 H411  
Full text of H-statements: see section 16

#### 2.2. Label elements

##### Labelling according to the United Nations GHS

Hazard pictograms (GHS ZA) :



Signal word (GHS-ZA) : Warning  
Hazardous ingredients : 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one, linalyl acetate, linalool, acetyl cedrene, Methyl 2,6,10-trimethylcyclododeca-2,5,9-trien-1-yl ketone, coumarin  
Hazard statements (GHS ZA) : H317 - May cause an allergic skin reaction  
H319 - Causes serious eye irritation  
H411 - Toxic to aquatic life with long lasting effects  
Precautionary statements (GHS ZA) : P261 - Avoid breathing vapours, spray, mist, gas, dust, fume.  
P272 - Contaminated work clothing should not be allowed out of the workplace.  
P273 - Avoid release to the environment.  
P280 - Wear protective clothing, eye protection, face protection.  
P302+P352 - IF ON SKIN: Wash with plenty of soap and water  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P321 - Specific treatment (see supplemental first aid instruction on this label).  
P333+P317 - If skin irritation or rash occurs: Get medical help.

# Desire Fragrance Ladies Inspired by Far & Away

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

P362+P364 - Take off contaminated clothing and wash it before reuse.  
P391 - Collect spillage.  
P501 - Dispose of contents and container to a hazardous or special waste collection point.

### 2.3. Other hazards

Adverse physicochemical, human health and environmental effects : May cause an allergic skin reaction, Causes serious eye irritation, Toxic to aquatic life with long lasting effects.

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to the United Nations GHS
Ethanol	CAS-No.: 64-17-5	62.9	Flam. Liq. 1, H224 Acute Tox. Not classified (Oral) STOT RE Not classified Aquatic Acute Not classified
benzyl salicylate	CAS-No.: 118-58-1	3.75 – 4.5	Flam. Liq. Not classified Acute Tox. 5 (Oral), H303 Acute Tox. 5 (Dermal), H313 Aquatic Acute 2, H401 Aquatic Chronic 2, H411
4-hydroxy-3-methoxybenzaldehyde	CAS-No.: 121-33-5	1.5 – 2.1	Acute Tox. 5 (Oral), H303 Acute Tox. 5 (Dermal), H313 Eye Irrit. 2, H319 Aquatic Acute 3, H402
1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	CAS-No.: 54464-57-2	1.5 – 2.1	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Chronic 1, H410
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	CAS-No.: 1222-05-5 EC Index-No.: 603-212-00-7	0.9 – 1.5	Flam. Liq. Not classified Acute Tox. 5 (Oral), H303 Acute Tox. 5 (Dermal), H313 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
linalyl acetate	CAS-No.: 115-95-7	0.75 – 0.9	Flam. Liq. 4, H227 Acute Tox. Not classified (Oral) Acute Tox. Not classified (Dermal) Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317 Aquatic Acute 3, H402
linalool	CAS-No.: 78-70-6 EC Index-No.: 603-235-00-2	0.3 – 0.75	Flam. Liq. 4, H227 Acute Tox. Not classified (Dermal) Skin Sens. 1B, H317
acetyl cedrene	CAS-No.: 32388-55-9	0.3 – 0.75	Flam. Liq. Not classified Skin Sens. 1B, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

# Desire Fragrance Ladies Inspired by Far & Away

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Name	Product identifier	%	Classification according to the United Nations GHS
Methyl 2,6,10-trimethylcyclododeca-2,5,9-trien-1-yl ketone	-	0.3 – 0.75	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
coumarin	CAS-No.: 91-64-5	0.15 – 0.3	Acute Tox. 4 (Oral), H302 Skin Sens. 1, H317 Aquatic Acute 2, H401 Aquatic Chronic 3, H412

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact	: May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Eye irritation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

No additional information available

##### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.

##### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

# Desire Fragrance Ladies Inspired by Far & Away

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.  
Methods for cleaning up : Take up liquid spill into absorbent material.  
Other information : Dispose of materials or solid residues at an authorized site.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.  
Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Ethanol (64-17-5)	
<b>South Africa - Occupational Exposure Limits (Restricted Limits)</b>	
Local name	Ethanol [ethyl alcohol]
OEL eight hour TWA [ppm]	2000 ppm
Regulatory reference	Government Notice No. R. 280, 2021
<b>South Africa - Occupational Exposure Limits (Airborne Pollutants)</b>	
Local name	Ethanol (Ethyl alcohol)
OEL TWA	1900 mg/m <sup>3</sup>
OEL TWA	1000 ppm
Regulatory reference	Government Notice No. R 904

### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.  
Environmental exposure controls : Avoid release to the environment.

### 8.3. Individual protection measures, such as personal protective equipment (PPE)

Hand protection : Protective gloves  
Eye protection : Safety glasses  
Skin and body protection : Wear suitable protective clothing  
Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment

**Personal protective equipment symbol(s):**



# Desire Fragrance Ladies Inspired by Far & Away

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

### 8.4. Exposure limit values for the other components

No additional information available

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Liquid.
Colour	: Light grey.
Odour	: Characteristics.
Odour threshold	: No data available
pH	: No data available
pH solution	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Relative evaporation rate (ether=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability	: Non flammable.
Vapour pressure	: No data available
Vapour pressure at 50°C	: No data available
Relative vapour density at 20°C	: No data available
Relative density	: No data available
Relative density of saturated gas/air mixture	: No data available
Density	: No data available
Relative gas density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Partition coefficient n-octanol/water (Log Kow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available
Lower explosion limit	: No data available
Upper explosion limit	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

# Desire Fragrance Ladies Inspired by Far & Away

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

#### Ethanol (64-17-5)

LD50 oral rat	10470 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 9720 - 11380
---------------	---

#### benzyl salicylate (118-58-1)

LD50 oral rat	3031 – 3339 mg/kg bodyweight (EU Method B.1: Acute Toxicity (Oral), Rat, Male / female, Read-across, Oral, 14 day(s))
LD50 dermal rabbit	> 2000 mg/kg bodyweight (EU Method B.3: Acute toxicity (dermal), 24 h, Rabbit, Male / female, Read-across, Dermal, 14 day(s))

#### 4-hydroxy-3-methoxybenzaldehyde (121-33-5)

LD50 oral rat	3300 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rat	> 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))
LD50 dermal	> 3500 mg/kg

#### 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran (1222-05-5)

LD50 oral rat	> 2000 mg/kg bodyweight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral, 14 day(s))
LD50 dermal rat	> 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))
LC50 Inhalation - Rat	> 5.04 mg/l air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Inhalation (aerosol), 14 day(s))

#### linalyl acetate (115-95-7)

LD50 oral rat	> 9000 mg/kg bodyweight (BASF test, Rat, Male / female, Experimental value, Oral, 7 day(s))
LD50 dermal rabbit	> 5000 mg/kg bodyweight (Rabbit, Experimental value, Dermal, 14 day(s))

#### linalool (78-70-6)

LD50 oral rat	2790 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male / female, Weight of evidence, Oral, 014 day(s))
LD50 oral	≈ 2790 mg/kg
LD50 dermal rabbit	5610 mg/kg bodyweight (Equivalent or similar to OECD 402, 24 h, Rabbit, Experimental value, Dermal, 7 day(s))

#### coumarin (91-64-5)

LD50 oral rat	680 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))
---------------	---

Skin corrosion/irritation : Not classified

# Desire Fragrance Ladies Inspired by Far & Away

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified

Ethanol (64-17-5)	
LOAEL (oral, rat, 90 days)	3200 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
NOAEL (oral, rat, 90 days)	1730 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Remarks on results: other:

Aspiration hazard : Not classified

Ethanol (64-17-5)	
Animal studies and expert judgment for classification	False

benzyl salicylate (118-58-1)	
Animal studies and expert judgment for classification	False

4-hydroxy-3-methoxybenzaldehyde (121-33-5)	
Animal studies and expert judgment for classification	False

1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one (54464-57-2)	
Animal studies and expert judgment for classification	False

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran (1222-05-5)	
Animal studies and expert judgment for classification	False

linalyl acetate (115-95-7)	
Animal studies and expert judgment for classification	False

linalool (78-70-6)	
Animal studies and expert judgment for classification	False

acetyl cedrene (32388-55-9)	
Animal studies and expert judgment for classification	False

Methyl 2,6,10-trimethylcyclododeca-2,5,9-trien-1-yl ketone	
Animal studies and expert judgment for classification	False

coumarin (91-64-5)	
Animal studies and expert judgment for classification	False

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general	: Toxic to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Toxic to aquatic life with long lasting effects.

Ethanol (64-17-5)	
EC50 - Crustacea [1]	> 10000 mg/l Test organisms (species): Daphnia magna

# Desire Fragrance Ladies Inspired by Far & Away

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

<b>benzyl salicylate (118-58-1)</b>	
LC50 - Fish [1]	1.03 mg/l (EU Method C.1, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, GLP)
EC50 - Crustacea [1]	1.16 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
EC50 72h - Algae [1]	1.29 mg/l (OECD 201: Alga, Growth Inhibition Test, Pseudokirchneriella subcapitata, Experimental value, GLP)
BCF - Fish [1]	1170 (OECD 305: Bioconcentration: Flow-Through Fish Test, 28 day(s), Danio rerio, Flow-through system, Fresh water, Read-across, GLP)
Partition coefficient n-octanol/water (Log Pow)	4 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.75 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)
<b>4-hydroxy-3-methoxybenzaldehyde (121-33-5)</b>	
LC50 - Fish [1]	57 mg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value)
EC50 - Crustacea [1]	36.79 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
ErC50 algae	120 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)
Partition coefficient n-octanol/water (Log Pow)	1.17 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.438 (log Koc, Experimental value)
<b>1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran (1222-05-5)</b>	
LC50 - Fish [1]	0.95 mg/l (Equivalent or similar to OECD 203, 96 h, Oryzias latipes, Semi-static system, Fresh water, Experimental value)
EC50 - Crustacea [1]	0.3 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)
BCF - Fish [1]	1550 – 1635 (OECD 305: Bioconcentration: Flow-Through Fish Test, 28 day(s), Lepomis macrochirus, Flow-through system, Fresh water, Experimental value, Fresh weight)
Partition coefficient n-octanol/water (Log Pow)	5.3 (Experimental value, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	4.2 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP)
<b>linalyl acetate (115-95-7)</b>	
LC50 - Fish [1]	11 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Cyprinus carpio, Flow-through system, Fresh water, Experimental value, GLP)
EC50 - Crustacea [1]	59 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)
ErC50 algae	157 mg/l (DIN 38412-9, 96 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, Nominal concentration)
BCF - Fish [1]	174 l/kg (BCFBAF v3.00, Pisces, Calculated value, Fresh weight)
Partition coefficient n-octanol/water (Log Pow)	3.9 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2.7 (log Koc, PCKOCWIN v1.66, Calculated value)

# Desire Fragrance Ladies Inspired by Far & Away

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

<b>linalool (78-70-6)</b>	
LC50 - Fish [1]	27.8 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, GLP)
EC50 - Crustacea [1]	59 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
ErC50 algae	156.7 mg/l (DIN 38412-9, 96 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, Nominal concentration)
Partition coefficient n-octanol/water (Log Pow)	2.8 (Experimental value, Equivalent or similar to OECD 107, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.9 – 2.2 (log Koc, SRC PCKOCWIN v2.0, Calculated value)

<b>acetyl cedrene (32388-55-9)</b>	
LC50 - Fish [1]	3 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Static system, Experimental value, GLP)
EC50 - Crustacea [1]	0.86 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Experimental value, GLP)
ErC50 algae	4.3 mg/l (OECD 201: Alga, Growth Inhibition Test, 96 h, Pseudokirchneriella subcapitata, Static system, Experimental value, GLP)
BCF - Fish [1]	867 – 3920 (OECD 305: Bioconcentration: Flow-Through Fish Test, 28 day(s), Oncorhynchus mykiss, Flow-through system, Fresh water, Experimental value, GLP)
Partition coefficient n-octanol/water (Log Pow)	5.6 – 5.9 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.5 – 5.1 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP)

<b>coumarin (91-64-5)</b>	
LC50 - Fish [1]	2.94 mg/l (96 h, Pimephales promelas, QSAR, Lethal)
EC50 - Crustacea [1]	24.3 – 36.9 mg/l (48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)
Partition coefficient n-octanol/water (Log Pow)	1.51 (Estimated value, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.63 (log Koc, QSAR)

## 12.2. Persistence and degradability

<b>Desire Fragrance Ladies Inspired by Far &amp; Away</b>	
Persistence and degradability	No additional information available
<b>benzyl salicylate (118-58-1)</b>	
Persistence and degradability	Readily biodegradable in water.
<b>4-hydroxy-3-methoxybenzaldehyde (121-33-5)</b>	
Persistence and degradability	Readily biodegradable in water.
<b>1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran (1222-05-5)</b>	
Persistence and degradability	Not readily biodegradable in the soil. Not readily biodegradable in water.
<b>linalyl acetate (115-95-7)</b>	
Persistence and degradability	Readily biodegradable in water.
<b>linalool (78-70-6)</b>	
Persistence and degradability	Readily biodegradable in water.

# Desire Fragrance Ladies Inspired by Far & Away

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

<b>acetyl cedrene (32388-55-9)</b>	
Persistence and degradability	Not readily biodegradable in water.
<b>coumarin (91-64-5)</b>	
Persistence and degradability	Readily biodegradable in water.
<b>12.3. Bioaccumulative potential</b>	
<b>Desire Fragrance Ladies Inspired by Far &amp; Away</b>	
Bioaccumulative potential	No additional information available
<b>benzyl salicylate (118-58-1)</b>	
BCF - Fish [1]	1170 (OECD 305: Bioconcentration: Flow-Through Fish Test, 28 day(s), Danio rerio, Flow-through system, Fresh water, Read-across, GLP)
Partition coefficient n-octanol/water (Log Pow)	4 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.75 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)
Bioaccumulative potential	Potential for bioaccumulation ( $500 \leq \text{BCF} \leq 5000$ ).
<b>4-hydroxy-3-methoxybenzaldehyde (121-33-5)</b>	
Partition coefficient n-octanol/water (Log Pow)	1.17 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.438 (log Koc, Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation ( $\text{Log Kow} < 4$ ).
<b>1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran (1222-05-5)</b>	
BCF - Fish [1]	1550 – 1635 (OECD 305: Bioconcentration: Flow-Through Fish Test, 28 day(s), Lepomis macrochirus, Flow-through system, Fresh water, Experimental value, Fresh weight)
Partition coefficient n-octanol/water (Log Pow)	5.3 (Experimental value, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	4.2 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP)
Bioaccumulative potential	Potential for bioaccumulation ( $500 \leq \text{BCF} \leq 5000$ ).
<b>linalyl acetate (115-95-7)</b>	
BCF - Fish [1]	174 l/kg (BCFBAF v3.00, Pisces, Calculated value, Fresh weight)
Partition coefficient n-octanol/water (Log Pow)	3.9 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2.7 (log Koc, PCKOCWIN v1.66, Calculated value)
Bioaccumulative potential	Low potential for bioaccumulation ( $\text{Log Kow} < 4$ ).
<b>linalool (78-70-6)</b>	
Partition coefficient n-octanol/water (Log Pow)	2.8 (Experimental value, Equivalent or similar to OECD 107, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.9 – 2.2 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Bioaccumulative potential	Low potential for bioaccumulation ( $\text{Log Kow} < 4$ ).

# Desire Fragrance Ladies Inspired by Far & Away

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

<b>acetyl cedrene (32388-55-9)</b>	
BCF - Fish [1]	867 – 3920 (OECD 305: Bioconcentration: Flow-Through Fish Test, 28 day(s), Oncorhynchus mykiss, Flow-through system, Fresh water, Experimental value, GLP)
Partition coefficient n-octanol/water (Log Pow)	5.6 – 5.9 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.5 – 5.1 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP)
Bioaccumulative potential	Potential for bioaccumulation ( $500 \leq \text{BCF} \leq 5000$ ).

<b>coumarin (91-64-5)</b>	
Partition coefficient n-octanol/water (Log Pow)	1.51 (Estimated value, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.63 (log Koc, QSAR)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).

### 12.4. Mobility in soil

<b>Desire Fragrance Ladies Inspired by Far &amp; Away</b>	
Mobility in soil	No additional information available

<b>benzyl salicylate (118-58-1)</b>	
Surface tension	69 mN/m (20 °C, 0.004 g/l, EU Method A.5: Surface tension)
Partition coefficient n-octanol/water (Log Pow)	4 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.75 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)
Ecology - soil	Low potential for mobility in soil.

<b>4-hydroxy-3-methoxybenzaldehyde (121-33-5)</b>	
Partition coefficient n-octanol/water (Log Pow)	1.17 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.438 (log Koc, Experimental value)
Ecology - soil	Low potential for mobility in soil.

<b>1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran (1222-05-5)</b>	
Surface tension	No data available in the literature
Partition coefficient n-octanol/water (Log Pow)	5.3 (Experimental value, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	4.2 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP)
Ecology - soil	Low potential for mobility in soil.

<b>linalyl acetate (115-95-7)</b>	
Surface tension	No data available in the literature
Partition coefficient n-octanol/water (Log Pow)	3.9 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2.7 (log Koc, PCKOCWIN v1.66, Calculated value)
Ecology - soil	Low potential for adsorption in soil.

# Desire Fragrance Ladies Inspired by Far & Away

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

<b>linalool (78-70-6)</b>	
Partition coefficient n-octanol/water (Log Pow)	2.8 (Experimental value, Equivalent or similar to OECD 107, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.9 – 2.2 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ecology - soil	Low potential for adsorption in soil.
<b>acetyl cedrene (32388-55-9)</b>	
Partition coefficient n-octanol/water (Log Pow)	5.6 – 5.9 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.5 – 5.1 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP)
Ecology - soil	Low potential for mobility in soil.
<b>coumarin (91-64-5)</b>	
Surface tension	No data available in the literature
Partition coefficient n-octanol/water (Log Pow)	1.51 (Estimated value, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.63 (log Koc, QSAR)
Ecology - soil	Highly mobile in soil.

### 12.5. Other adverse effects

Ozone : Not classified  
Other adverse effects : No additional information available




## SECTION 13: Disposal considerations

### 13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

## SECTION 14: Transport information

In accordance with SANS / IMDG / IATA

SANS	IMDG	IATA
14.1. UN number		
1266	1266	1266
14.2. Proper Shipping Name		
PERFUMERY PRODUCTS	ETHANOL (ETHYL ALCOHOL)	Perfumery products
14.3. Transport hazard class(es)		
3	3	3
		
14.4. Packing group		
III	III	III

# Desire Fragrance Ladies Inspired by Far & Away

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

SANS	IMDG	IATA
<b>14.5. Environmental hazards</b>		
Dangerous for the environment : Yes	Dangerous for the environment : Yes Marine pollutant : Yes	Dangerous for the environment : Yes
No supplementary information available		

### 14.6. Special precautions for user

#### SANS

Special provisions (SANS)	: 223
Limited quantities (SANS)	: 5 L
Limited quantities (SANS)	: 5 L
Packagings, large packagings and IBCs Packing instructions (SANS)	: P001, IBC03, LP01
Portable tank and bulk containers instructions (SANS)	: T2
Portable tank and bulk container special provisions (SANS)	: TP1

#### IMDG

Special provisions (IMDG)	: 144, 223
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P001, LP01
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T2
Tank special provisions (IMDG)	: TP1
EmS-No. (Fire)	: F-E - FIRE SCHEDULE Echo - NON-WATER-REACTIVE FLAMMABLE LIQUIDS
EmS-No. (Spillage)	: S-D - SPILLAGE SCHEDULE Delta - FLAMMABLE LIQUIDS
Stowage category (IMDG)	: A
Properties and observations (IMDG)	: Colourless, volatile liquids. Pure ETHANOL: flashpoint 13°C c.c. Explosive limits: 3.3% to 19%. Miscible with water.

#### IATA

PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y344
PCA limited quantity max net quantity (IATA)	: 10L
PCA packing instructions (IATA)	: 355
PCA max net quantity (IATA)	: 60L
CAO packing instructions (IATA)	: 366
CAO max net quantity (IATA)	: 220L
Special provisions (IATA)	: A3, A72
ERG code (IATA)	: 3L

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health, and environmental national regulations specific for the product

No additional information available

## SECTION 16: Other information

Issue date	: 09/06/2025
Revision date	: 09/06/2027

# Desire Fragrance Ladies Inspired by Far & Away

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Full text of H-statements	
H224	Extremely flammable liquid and vapour
H226	Flammable liquid and vapour
H227	Combustible liquid
H302	Harmful if swallowed
H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H373	May cause damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

Safety Data Sheet (SDS), South Africa

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.