

SAVARA BEAUTY Desire Fragrance Ladies Inspired by Narciso Rodrigues

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010
Issue date: 6/6/2025 Revision date: 6/6/2027

SECTION 1: Identification

1.1. Product identifier

Product form	: Mixture
Trade name	: Desire Fragrance Ladies Inspired by Narciso Rodrigues
Type of product	: Perfumes, Fragrances
Product code	: SH1941
Product group	: Cosmetics, personal care products

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture	: Perfume
------------------------------	-----------

1.3. Supplier's details

Manufacturer

Savara Beauty
9 London St
Apex Benoni
South Africa
T 0104482444

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to the United Nations GHS

Flammable liquids, Category 1	H224
Skin sensitisation, Category 1	H317
Carcinogenicity, Category 2	H351
Reproductive toxicity, Category 2	H361
Hazardous to the aquatic environment – Acute Hazard, Category 2	H401
Hazardous to the aquatic environment – Chronic Hazard, Category 2	H411

Full text of H-statements: see section 16

2.2. Label elements

Labelling according to the United Nations GHS

Hazard pictograms (GHS ZA)



Signal word (GHS-ZA)

: Danger

Hazardous ingredients

: linalool, linalyl acetate, 3-p-cumenyl-2-methylpropionaldehyde, 4'-tert-butyl-2',6'-dimethyl-3',5'-dinitroacetophenone, alpha-hexylcinnamaldehyde, cinnamic alcohol, alpha-methyl-1,3-benzodioxole-5-propanal, hexyl salicylate, cis-4-(isopropyl)cyclohexanemethanol, D-limonene

Hazard statements (GHS ZA)

: H224 - Extremely flammable liquid and vapour
H317 - May cause an allergic skin reaction
H351 - Suspected of causing cancer (Inhalation)
H361 - Suspected of damaging fertility. (Inhalation)
H411 - Toxic to aquatic life with long lasting effects

Desire Fragrance Ladies Inspired by Narciso Rodrigues

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Precautionary statements (GHS ZA)	: P203 - Obtain, read and follow all safety instructions before use. P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 - Keep container tightly closed. P240 - Ground and bond container and receiving equipment. P241 - Use explosion-proof ventilating equipment. P242 - Use non-sparking tools. P243 - Take action to prevent static discharges. P261 - Avoid breathing vapours, spray, mist, gas, fume, dust. P272 - Contaminated work clothing should not be allowed out of the workplace. P273 - Avoid release to the environment. P280 - Wear protective clothing, eye protection, face protection. P302+P352 - IF ON SKIN: Wash with plenty of soap and water IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse affected areas with water [or shower]. P318 - IF exposed or concerned, get medical advice. P321 - Specific treatment (see supplemental first aid instruction on this label). P333+P317 - If skin irritation or rash occurs: Get medical help. P362+P364 - Take off contaminated clothing and wash it before reuse. P370+P378 - In case of fire: Use foam to extinguish. P391 - Collect spillage. P403+P235 - Store in a well-ventilated place. Keep cool. P405 - Store locked up. P501 - Dispose of contents and container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
-----------------------------------	--

2.3. Other hazards

Adverse physicochemical, human health and environmental effects	: Extremely flammable liquid and vapour,Suspected of causing cancer,Suspected of damaging fertility or the unborn child,May cause an allergic skin reaction,Toxic to aquatic life,Toxic to aquatic life with long lasting effects.
---	--

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to the United Nations GHS
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	CAS-No.: 1222-05-5 EC Index-No.: 603-212-00-7	4.2 – 5.1	Flam. Liq. Not classified Acute Tox. 5 (Oral), H303 Acute Tox. 5 (Dermal), H313 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Ethanol	CAS-No.: 64-17-5	5	Flam. Liq. 1, H224 Acute Tox. Not classified (Oral) STOT RE Not classified Aquatic Acute Not classified
benzyl salicylate	CAS-No.: 118-58-1	3.3 – 4.2	Flam. Liq. Not classified Acute Tox. 5 (Oral), H303 Acute Tox. 5 (Dermal), H313 Aquatic Acute 2, H401 Aquatic Chronic 2, H411
diethyl phthalate	CAS-No.: 84-66-2	1.5 – 2.4	Flam. Liq. Not classified STOT RE Not classified Aquatic Acute 3, H402 Aquatic Chronic Not classified

Desire Fragrance Ladies Inspired by Narciso Rodrigues

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Name	Product identifier	%	Classification according to the United Nations GHS
linalool	CAS-No.: 78-70-6 EC Index-No.: 603-235-00-2	0.75 – 1.5	Flam. Liq. 4, H227 Acute Tox. Not classified (Dermal) Skin Sens. 1B, H317
Pentadecan-15-olide	CAS-No.: 106-02-5	0.75 – 1.5	STOT RE Not classified Aquatic Acute 1, H400 Aquatic Chronic 2, H411
linalyl acetate	CAS-No.: 115-95-7	0.3 – 0.75	Flam. Liq. 4, H227 Acute Tox. Not classified (Oral) Acute Tox. Not classified (Dermal) Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317 Aquatic Acute 3, H402
3-p-cumenyl-2-methylpropionaldehyde	CAS-No.: 103-95-7	0.3 – 0.75	Flam. Liq. 4, H227 Acute Tox. 5 (Oral), H303 Acute Tox. Not classified (Dermal) Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Acute 2, H401 Aquatic Chronic 3, H412
4'-tert-butyl-2',6'-dimethyl-3',5'-dinitroacetophenone	CAS-No.: 81-14-1 EC Index-No.: 609-069-00-7	0.3 – 0.75	Acute Tox. Not classified (Oral) Acute Tox. Not classified (Dermal) Carc. 2, H351 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
alpha-hexylcinnamaldehyde	CAS-No.: 101-86-0	0.03 – 0.3	Flam. Liq. Not classified Acute Tox. 5 (Oral), H303 Acute Tox. 5 (Dermal), H313 Acute Tox. 3 (Inhalation:vapour), H331 Skin Sens. 1B, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
cinnamic alcohol	CAS-No.: 104-54-1	0.03 – 0.3	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317 Aquatic Acute 2, H401 Aquatic Chronic 2, H411
alpha-methyl-1,3-benzodioxole-5-propanal	CAS-No.: 1205-17-0	0.03 – 0.3	Flam. Liq. Not classified Acute Tox. 5 (Oral), H303 Acute Tox. 5 (Dermal), H313 Skin Sens. 1B, H317 Repr. 2, H361 Aquatic Acute 2, H401 Aquatic Chronic 2, H411
hexyl salicylate	CAS-No.: 6259-76-3	0.03 – 0.3	Flam. Liq. Not classified Acute Tox. Not classified (Oral) Acute Tox. Not classified (Dermal) Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
cis-4-(isopropyl)cyclohexanemethanol	-	0.03 – 0.3	Skin Irrit. 2, H315 Skin Sens. 1, H317

Desire Fragrance Ladies Inspired by Narciso Rodrigues

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Name	Product identifier	%	Classification according to the United Nations GHS
D-limonene	CAS-No.: 5989-27-5	0.03 – 0.3	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: IF exposed or concerned: Get medical advice/attention.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Rinse skin with water/shower. Take off immediately all contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact	: May cause an allergic skin reaction.
-------------------------------------	--

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
------------------------------	--

5.2. Special hazards arising from the substance or mixture

Fire hazard	: Extremely flammable liquid and vapour.
Hazardous decomposition products in case of fire	: Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
--------------------------------	--

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No additional information available

6.1.1. For non-emergency personnel

Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.
----------------------	---

6.1.2. For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
----------------------	---

6.2. Environmental precautions

Avoid release to the environment.

Desire Fragrance Ladies Inspired by Narciso Rodrigues

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

6.3. Methods and material for containment and cleaning up

For containment	: Collect spillage.
Methods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
Other information	: Dispose of materials or solid residues at an authorized site.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.
Hygiene measures	: Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures	: Ground/bond container and receiving equipment.
Storage conditions	: Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Ethanol (64-17-5)	
South Africa - Occupational Exposure Limits (Restricted Limits)	
Local name	Ethanol [ethyl alcohol]
OEL eight hour TWA [ppm]	2000 ppm
Regulatory reference	Government Notice No. R. 280, 2021
South Africa - Occupational Exposure Limits (Airborne Pollutants)	
Local name	Ethanol (Ethyl alcohol)
OEL TWA	1900 mg/m ³
OEL TWA	1000 ppm
Regulatory reference	Government Notice No. R 904
diethyl phthalate (84-66-2)	
South Africa - Occupational Exposure Limits (Restricted Limits)	
Local name	Diethyl phthalate
RHCA - STEL/C	10 mg/m ³
Regulatory reference	Government Notice No. R. 280, 2021
South Africa - Occupational Exposure Limits (Airborne Pollutants)	
Local name	Diethyl phthalate
OEL TWA	5 mg/m ³
OEL STEL	10 mg/m ³
Regulatory reference	Government Notice No. R 904

Desire Fragrance Ladies Inspired by Narciso Rodrigues

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.
Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures, such as personal protective equipment (PPE)

Hand protection : Protective gloves
Eye protection : Safety glasses
Skin and body protection : Wear suitable protective clothing
Respiratory protection : [In case of inadequate ventilation] wear respiratory protection.

Personal protective equipment symbol(s):



8.4. Exposure limit values for the other components

No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Liquid.
Colour : Colourless.
Odour : Floral odour.
Odour threshold : No data available
pH : No data available
pH solution : No data available
Relative evaporation rate (butylacetate=1) : No data available
Relative evaporation rate (ether=1) : No data available
Melting point : Not applicable
Freezing point : No data available
Boiling point : No data available
Flash point : No data available
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability : Extremely flammable liquid and vapour.
Vapour pressure : No data available
Vapour pressure at 50°C : No data available
Relative vapour density at 20°C : No data available
Relative density : No data available
Relative density of saturated gas/air mixture : No data available
Density : No data available
Relative gas density : No data available
Solubility : No data available
Partition coefficient n-octanol/water (Log Pow) : No data available
Partition coefficient n-octanol/water (Log Kow) : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : No data available
Lower explosion limit : No data available
Upper explosion limit : No data available

9.2. Other information

No additional information available

Desire Fragrance Ladies Inspired by Narciso Rodrigues

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

SECTION 10: Stability and reactivity

10.1. Reactivity

Extremely flammable liquid and vapour.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Ethanol (64-17-5)	
LD50 oral rat	10470 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 9720 - 11380
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran (1222-05-5)	
LD50 oral rat	> 2000 mg/kg bodyweight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral, 14 day(s))
LD50 dermal rat	> 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))
LC50 Inhalation - Rat	> 5.04 mg/l air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Inhalation (aerosol), 14 day(s))
benzyl salicylate (118-58-1)	
LD50 oral rat	3031 – 3339 mg/kg bodyweight (EU Method B.1: Acute Toxicity (Oral), Rat, Male / female, Read-across, Oral, 14 day(s))
LD50 dermal rabbit	> 2000 mg/kg bodyweight (EU Method B.3: Acute toxicity (dermal), 24 h, Rabbit, Male / female, Read-across, Dermal, 14 day(s))
linalool (78-70-6)	
LD50 oral rat	2790 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male / female, Weight of evidence, Oral, 014 day(s))
LD50 oral	≈ 2790 mg/kg
LD50 dermal rabbit	5610 mg/kg bodyweight (Equivalent or similar to OECD 402, 24 h, Rabbit, Experimental value, Dermal, 7 day(s))

Desire Fragrance Ladies Inspired by Narciso Rodrigues

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Pentadecan-15-olide (106-02-5)	
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: EU Method B.1 tris (Acute Oral Toxicity - Acute Toxic Class Method), Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method)
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: EU Method B.3 (Acute Toxicity (Dermal)), Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
linalyl acetate (115-95-7)	
LD50 oral rat	> 9000 mg/kg bodyweight (BASF test, Rat, Male / female, Experimental value, Oral, 7 day(s))
LD50 dermal rabbit	> 5000 mg/kg bodyweight (Rabbit, Experimental value, Dermal, 14 day(s))
3-p-cumenyl-2-methylpropionaldehyde (103-95-7)	
LD50 oral rat	3810 mg/kg (Rat, Male / female, Weight of evidence, Oral, 14 day(s))
LD50 dermal rat	> 5000 mg/kg (Rat, Male, Experimental value, Dermal, 14 day(s))
4'-tert-butyl-2',6'-dimethyl-3',5'-dinitroacetophenone (81-14-1)	
LD50 oral rat	> 10000 mg/kg (Rat, Oral)
LD50 dermal rabbit	> 10000 mg/kg (Rabbit, Dermal)
alpha-hexylcinnamaldehyde (101-86-0)	
LD50 oral rat	3100 mg/kg (Equivalent or similar to OECD 401, Rat, Male, Experimental value of similar product, Isomer, Oral, 14 day(s))
LD50 dermal rabbit	> 3000 mg/kg (Equivalent or similar to OECD 402, 24 h, Rabbit, Female, Experimental value of similar product, Isomer, Dermal, 7 day(s))
LC50 Inhalation - Rat	> 5 mg/l (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value of similar product, Isomer, Inhalation (aerosol), 14 day(s))
alpha-methyl-1,3-benzodioxole-5-propanal (1205-17-0)	
LD50 oral rat	3362 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	> 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, Rabbit, Male / female, Experimental value, Dermal, 14 day(s))
hexyl salicylate (6259-76-3)	
LD50 oral rat	> 5000 mg/kg (Equivalent or similar to OECD 401, Rat, Experimental value, Oral)
LD50 dermal rabbit	> 5000 mg/kg (Equivalent or similar to OECD 402, Rabbit, Experimental value, Dermal)
D-limonene (5989-27-5)	
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method)
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Suspected of causing cancer (Inhalation).
Reproductive toxicity	: Suspected of damaging fertility. (Inhalation).
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Ethanol (64-17-5)	
LOAEL (oral, rat, 90 days)	3200 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)

Desire Fragrance Ladies Inspired by Narciso Rodrigues

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Ethanol (64-17-5)	
NOAEL (oral, rat, 90 days)	1730 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Remarks on results: other:
diethyl phthalate (84-66-2)	
NOAEL (oral, rat, 90 days)	150 mg/kg bodyweight Animal: rat
Pentadecan-15-olide (106-02-5)	
NOAEL (oral, rat, 90 days)	≥ 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)

Aspiration hazard : Not classified

Ethanol (64-17-5)	
Animal studies and expert judgment for classification	False
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran (1222-05-5)	
Animal studies and expert judgment for classification	False
benzyl salicylate (118-58-1)	
Animal studies and expert judgment for classification	False
diethyl phthalate (84-66-2)	
Animal studies and expert judgment for classification	False
linalool (78-70-6)	
Animal studies and expert judgment for classification	False
Pentadecan-15-olide (106-02-5)	
Animal studies and expert judgment for classification	False
linalyl acetate (115-95-7)	
Animal studies and expert judgment for classification	False
3-p-cumenyl-2-methylpropionaldehyde (103-95-7)	
Animal studies and expert judgment for classification	False
4'-tert-butyl-2',6'-dimethyl-3',5'-dinitroacetophenone (81-14-1)	
Animal studies and expert judgment for classification	False
alpha-hexylcinnamaldehyde (101-86-0)	
Animal studies and expert judgment for classification	False
cinnamic alcohol (104-54-1)	
Animal studies and expert judgment for classification	False
alpha-methyl-1,3-benzodioxole-5-propanal (1205-17-0)	
Animal studies and expert judgment for classification	False
hexyl salicylate (6259-76-3)	
Animal studies and expert judgment for classification	False
cis-4-(isopropyl)cyclohexanemethanol	
Animal studies and expert judgment for classification	False
D-limonene (5989-27-5)	
Animal studies and expert judgment for classification	False

Desire Fragrance Ladies Inspired by Narciso Rodrigues

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: Toxic to aquatic life. Toxic to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute)	: Toxic to aquatic life.
Hazardous to the aquatic environment, long-term (chronic)	: Toxic to aquatic life with long lasting effects.

Ethanol (64-17-5)	
EC50 - Crustacea [1]	> 10000 mg/l Test organisms (species): Daphnia magna
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran (1222-05-5)	
LC50 - Fish [1]	0.95 mg/l (Equivalent or similar to OECD 203, 96 h, Oryzias latipes, Semi-static system, Fresh water, Experimental value)
EC50 - Crustacea [1]	0.3 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)
BCF - Fish [1]	1550 – 1635 (OECD 305: Bioconcentration: Flow-Through Fish Test, 28 day(s), Lepomis macrochirus, Flow-through system, Fresh water, Experimental value, Fresh weight)
Partition coefficient n-octanol/water (Log Pow)	5.3 (Experimental value, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	4.2 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP)
benzyl salicylate (118-58-1)	
LC50 - Fish [1]	1.03 mg/l (EU Method C.1, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, GLP)
EC50 - Crustacea [1]	1.16 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
EC50 72h - Algae [1]	1.29 mg/l (OECD 201: Alga, Growth Inhibition Test, Pseudokirchneriella subcapitata, Experimental value, GLP)
BCF - Fish [1]	1170 (OECD 305: Bioconcentration: Flow-Through Fish Test, 28 day(s), Danio rerio, Flow-through system, Fresh water, Read-across, GLP)
Partition coefficient n-octanol/water (Log Pow)	4 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.75 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)
diethyl phthalate (84-66-2)	
LC50 - Fish [1]	29 mg/l Test organisms (species): Cyprinodon variegatus
LC50 - Fish [2]	12 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 72h - Algae [1]	23 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 72h - Algae [2]	45 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
NOEC (chronic)	25 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	5 mg/l Test organisms (species): Cyprinus carpio Duration: '28 d'
linalool (78-70-6)	
LC50 - Fish [1]	27.8 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, GLP)

Desire Fragrance Ladies Inspired by Narciso Rodrigues

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

linalool (78-70-6)	
EC50 - Crustacea [1]	59 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
ErC50 algae	156.7 mg/l (DIN 38412-9, 96 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, Nominal concentration)
Partition coefficient n-octanol/water (Log Pow)	2.8 (Experimental value, Equivalent or similar to OECD 107, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.9 – 2.2 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Pentadecan-15-olide (106-02-5)	
LC50 - Fish [1]	2 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
LC50 - Fish [2]	0.797 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	0.17 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	0.4 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 72h - Algae [2]	0.47 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
LOEC (chronic)	0.127 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	0.068 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	0.027 mg/l Test organisms (species): Pimephales promelas Duration: '33 d'
linalyl acetate (115-95-7)	
LC50 - Fish [1]	11 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Cyprinus carpio, Flow-through system, Fresh water, Experimental value, GLP)
EC50 - Crustacea [1]	59 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)
ErC50 algae	157 mg/l (DIN 38412-9, 96 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, Nominal concentration)
BCF - Fish [1]	174 l/kg (BCFBAF v3.00, Pisces, Calculated value, Fresh weight)
Partition coefficient n-octanol/water (Log Pow)	3.9 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2.7 (log Koc, PCKOCWIN v1.66, Calculated value)
3-p-cumenyl-2-methylpropionaldehyde (103-95-7)	
LC50 - Fish [1]	1.092 mg/l (96 h, Calculated value)
EC50 - Crustacea [1]	1.4 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semi-static system, Fresh water, Experimental value)
BCF - Fish [1]	155 l/kg (Calculated value)
Partition coefficient n-octanol/water (Log Pow)	3.4 (Practical experience/observation, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 35 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.05 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)
4'-tert-butyl-2',6'-dimethyl-3',5'-dinitroacetophenone (81-14-1)	
LC50 - Fish [1]	0.5 mg/l (504 h, Salmo gairdneri, Flow-through system)
EC50 - Crustacea [1]	0.46 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna)

Desire Fragrance Ladies Inspired by Narciso Rodrigues

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

4'-tert-butyl-2',6'-dimethyl-3',5'-dinitroacetophenone (81-14-1)	
EC50 72h - Algae [1]	0.24 mg/l (Senastrum capricornutum, Growth rate)
BCF - Fish [1]	1380 (831 h, Salmo gairdneri)
Partition coefficient n-octanol/water (Log Pow)	4.3 (OECD 117: Partition Coefficient (n-octanol/water), HPLC method)
alpha-hexylcinnamaldehyde (101-86-0)	
LC50 - Fish [1]	1.7 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value of similar product, Other isomer)
EC50 - Crustacea [1]	0.36 – 0.59 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Flow-through system, Fresh water, Experimental value of similar product, Other isomer)
ErC50 algae	> 0.065 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value of similar product, Other isomer)
Partition coefficient n-octanol/water (Log Pow)	5.3 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 24 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	4.2 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, Other isomer)
cinnamic alcohol (104-54-1)	
LC50 - Fish [1]	9 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Static system, Fresh water, Experimental value, Lethal)
EC50 - Crustacea [1]	3.21 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)
EC50 72h - Algae [1]	31.6 mg/l (OECD 201: Alga, Growth Inhibition Test, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, Growth rate)
BCF - Fish [1]	4.989 l/kg (BCFBAF v3.01, Estimated value)
Partition coefficient n-octanol/water (Log Pow)	1.636 (Practical experience/observation, 27 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.958 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)
alpha-methyl-1,3-benzodioxole-5-propanal (1205-17-0)	
LC50 - Fish [1]	5.3 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Semi-static system, Fresh water, Experimental value, GLP)
EC50 - Crustacea [1]	8.3 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)
ErC50 algae	28 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Nominal concentration)
Partition coefficient n-octanol/water (Log Pow)	2.4 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.85 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP)
hexyl salicylate (6259-76-3)	
LC50 - Fish [1]	100 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Static system, Fresh water, Experimental value)
EC50 - Crustacea [1]	0.36 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semi-static system, Fresh water, Experimental value, GLP)

Desire Fragrance Ladies Inspired by Narciso Rodrigues

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

hexyl salicylate (6259-76-3)	
ErC50 algae	0.61 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Read-across, GLP)
BCF - Fish [1]	8913 l/kg (Pisces, Flow-through system, Calculated value)
Partition coefficient n-octanol/water (Log Pow)	5.5 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 30 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.5 (log Koc, Calculated value)
D-limonene (5989-27-5)	
LC50 - Fish [1]	720 µg/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [1]	0.36 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	8 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
NOEC (chronic)	0.115 mg/l Test organisms (species): other:For freshwater invertebrates, species frequently include Daphnia magna or Daphnia pulex. Duration: '16 d'

12.2. Persistence and degradability

Desire Fragrance Ladies Inspired by Narciso Rodrigues	
Persistence and degradability	No additional information available
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran (1222-05-5)	
Persistence and degradability	Not readily biodegradable in the soil. Not readily biodegradable in water.
benzyl salicylate (118-58-1)	
Persistence and degradability	Readily biodegradable in water.
linalool (78-70-6)	
Persistence and degradability	Readily biodegradable in water.
linalyl acetate (115-95-7)	
Persistence and degradability	Readily biodegradable in water.
3-p-cumenyl-2-methylpropionaldehyde (103-95-7)	
Persistence and degradability	Readily biodegradable in water.
4'-tert-butyl-2',6'-dimethyl-3',5'-dinitroacetophenone (81-14-1)	
Persistence and degradability	Not readily biodegradable in water.
alpha-hexylcinnamaldehyde (101-86-0)	
Persistence and degradability	Readily biodegradable in water.
cinnamic alcohol (104-54-1)	
Persistence and degradability	Readily biodegradable in water.
alpha-methyl-1,3-benzodioxole-5-propanal (1205-17-0)	
Persistence and degradability	Not readily biodegradable in water.
hexyl salicylate (6259-76-3)	
Persistence and degradability	Readily biodegradable in water.
ThOD	2.36 g O ₂ /g substance

Desire Fragrance Ladies Inspired by Narciso Rodrigues

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

12.3. Bioaccumulative potential

Desire Fragrance Ladies Inspired by Narciso Rodrigues	
Bioaccumulative potential	No additional information available
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran (1222-05-5)	
BCF - Fish [1]	1550 – 1635 (OECD 305: Bioconcentration: Flow-Through Fish Test, 28 day(s), Lepomis macrochirus, Flow-through system, Fresh water, Experimental value, Fresh weight)
Partition coefficient n-octanol/water (Log Pow)	5.3 (Experimental value, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	4.2 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP)
Bioaccumulative potential	Potential for bioaccumulation ($500 \leq \text{BCF} \leq 5000$).
benzyl salicylate (118-58-1)	
BCF - Fish [1]	1170 (OECD 305: Bioconcentration: Flow-Through Fish Test, 28 day(s), Danio rerio, Flow-through system, Fresh water, Read-across, GLP)
Partition coefficient n-octanol/water (Log Pow)	4 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.75 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)
Bioaccumulative potential	Potential for bioaccumulation ($500 \leq \text{BCF} \leq 5000$).
linalool (78-70-6)	
Partition coefficient n-octanol/water (Log Pow)	2.8 (Experimental value, Equivalent or similar to OECD 107, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.9 – 2.2 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Bioaccumulative potential	Low potential for bioaccumulation ($\text{Log Kow} < 4$).
linalyl acetate (115-95-7)	
BCF - Fish [1]	174 l/kg (BCFBAF v3.00, Pisces, Calculated value, Fresh weight)
Partition coefficient n-octanol/water (Log Pow)	3.9 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2.7 (log Koc, PCKOCWIN v1.66, Calculated value)
Bioaccumulative potential	Low potential for bioaccumulation ($\text{Log Kow} < 4$).
3-p-cumenyl-2-methylpropionaldehyde (103-95-7)	
BCF - Fish [1]	155 l/kg (Calculated value)
Partition coefficient n-octanol/water (Log Pow)	3.4 (Practical experience/observation, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 35 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.05 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation ($\text{BCF} < 500$).
4'-tert-butyl-2',6'-dimethyl-3',5'-dinitroacetophenone (81-14-1)	
BCF - Fish [1]	1380 (831 h, Salmo gairdneri)
Partition coefficient n-octanol/water (Log Pow)	4.3 (OECD 117: Partition Coefficient (n-octanol/water), HPLC method)
Bioaccumulative potential	Potential for bioaccumulation ($500 \leq \text{BCF} \leq 5000$).

Desire Fragrance Ladies Inspired by Narciso Rodrigues

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

alpha-hexylcinnamaldehyde (101-86-0)	
Partition coefficient n-octanol/water (Log Pow)	5.3 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 24 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	4.2 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, Other isomer)
Bioaccumulative potential	High potential for bioaccumulation (Log Kow > 5).
cinnamic alcohol (104-54-1)	
BCF - Fish [1]	4.989 l/kg (BCFBAF v3.01, Estimated value)
Partition coefficient n-octanol/water (Log Pow)	1.636 (Practical experience/observation, 27 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.958 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
alpha-methyl-1,3-benzodioxole-5-propanal (1205-17-0)	
Partition coefficient n-octanol/water (Log Pow)	2.4 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.85 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
hexyl salicylate (6259-76-3)	
BCF - Fish [1]	8913 l/kg (Pisces, Flow-through system, Calculated value)
Partition coefficient n-octanol/water (Log Pow)	5.5 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 30 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.5 (log Koc, Calculated value)
Bioaccumulative potential	High potential for bioaccumulation (BCF > 5000).
12.4. Mobility in soil	
Desire Fragrance Ladies Inspired by Narciso Rodrigues	
Mobility in soil	No additional information available
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran (1222-05-5)	
Surface tension	No data available in the literature
Partition coefficient n-octanol/water (Log Pow)	5.3 (Experimental value, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	4.2 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP)
Ecology - soil	Low potential for mobility in soil.
benzyl salicylate (118-58-1)	
Surface tension	69 mN/m (20 °C, 0.004 g/l, EU Method A.5: Surface tension)
Partition coefficient n-octanol/water (Log Pow)	4 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.75 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)

Desire Fragrance Ladies Inspired by Narciso Rodrigues

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

benzyl salicylate (118-58-1)	
Ecology - soil	Low potential for mobility in soil.
linalool (78-70-6)	
Partition coefficient n-octanol/water (Log Pow)	2.8 (Experimental value, Equivalent or similar to OECD 107, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.9 – 2.2 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ecology - soil	Low potential for adsorption in soil.
linalyl acetate (115-95-7)	
Surface tension	No data available in the literature
Partition coefficient n-octanol/water (Log Pow)	3.9 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2.7 (log Koc, PCKOCWIN v1.66, Calculated value)
Ecology - soil	Low potential for adsorption in soil.
3-p-cumenyl-2-methylpropionaldehyde (103-95-7)	
Partition coefficient n-octanol/water (Log Pow)	3.4 (Practical experience/observation, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 35 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.05 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)
Ecology - soil	Low potential for mobility in soil.
4'-tert-butyl-2',6'-dimethyl-3',5'-dinitroacetophenone (81-14-1)	
Surface tension	44 mN/m
Partition coefficient n-octanol/water (Log Pow)	4.3 (OECD 117: Partition Coefficient (n-octanol/water), HPLC method)
alpha-hexylcinnamaldehyde (101-86-0)	
Partition coefficient n-octanol/water (Log Pow)	5.3 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 24 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	4.2 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, Other isomer)
Ecology - soil	Low potential for mobility in soil.
cinnamic alcohol (104-54-1)	
Partition coefficient n-octanol/water (Log Pow)	1.636 (Practical experience/observation, 27 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.958 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)
Ecology - soil	Highly mobile in soil.
alpha-methyl-1,3-benzodioxole-5-propanal (1205-17-0)	
Partition coefficient n-octanol/water (Log Pow)	2.4 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.85 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP)
Ecology - soil	Highly mobile in soil.

Desire Fragrance Ladies Inspired by Narciso Rodrigues

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

hexyl salicylate (6259-76-3)	
Surface tension	No data available in the literature
Partition coefficient n-octanol/water (Log Pow)	5.5 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 30 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.5 (log Koc, Calculated value)
Ecology - soil	Low potential for mobility in soil.

12.5. Other adverse effects

Ozone : Not classified
Other adverse effects : No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information : Flammable vapours may accumulate in the container.

SECTION 14: Transport information

In accordance with SANS / IMDG / IATA

SANS	IMDG	IATA
14.1. UN number		
1266	1266	1266
14.2. Proper Shipping Name		
PERFUMERY PRODUCTS	PERFUMERY PRODUCTS	Perfumery products
14.3. Transport hazard class(es)		
3	3	3
14.4. Packing group		
III	III	III
14.5. Environmental hazards		
Dangerous for the environment : Yes	Dangerous for the environment : Yes Marine pollutant : Yes	Dangerous for the environment : Yes
No supplementary information available		

14.6. Special precautions for user

SANS

Special provisions (SANS) : 223
Limited quantities (SANS) : 5 L
Limited quantities (SANS) : 5 L
Packagings, large packagings and IBCs Packing instructions (SANS) : P001, IBC03, LP01
Portable tank and bulk containers instructions (SANS) : T2

Desire Fragrance Ladies Inspired by Narciso Rodrigues

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Portable tank and bulk container special provisions (SANS) : TP1

IMDG

Special provisions (IMDG) : 163, 223, 904, 955
Limited quantities (IMDG) : 5 L
Excepted quantities (IMDG) : E1
Packing instructions (IMDG) : P001, LP01
IBC packing instructions (IMDG) : IBC03
Tank instructions (IMDG) : T2
Tank special provisions (IMDG) : TP1
EmS-No. (Fire) : F-E - FIRE SCHEDULE Echo - NON-WATER-REACTIVE FLAMMABLE LIQUIDS
EmS-No. (Spillage) : S-D - SPILLAGE SCHEDULE Delta - FLAMMABLE LIQUIDS
Stowage category (IMDG) : A
Properties and observations (IMDG) : Miscibility with water depends upon the composition.

IATA

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y344
PCA limited quantity max net quantity (IATA) : 10L
PCA packing instructions (IATA) : 355
PCA max net quantity (IATA) : 60L
CAO packing instructions (IATA) : 366
CAO max net quantity (IATA) : 220L
Special provisions (IATA) : A3, A72
ERG code (IATA) : 3L

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health, and environmental national regulations specific for the product

No additional information available

SECTION 16: Other information

Issue date : 06/06/2025
Revision date : 06/06/2027

Full text of H-statements	
H224	Extremely flammable liquid and vapour
H226	Flammable liquid and vapour
H227	Combustible liquid
H302	Harmful if swallowed
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H331	Toxic if inhaled
H351	Suspected of causing cancer

Desire Fragrance Ladies Inspired by Narciso Rodrigues

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Full text of H-statements	
H361	Suspected of damaging fertility or the unborn child
H373	May cause damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

Safety Data Sheet (SDS), South Africa

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.