

# SAVARA BEAUTY Desire Fragrance Mens Inspired by Acqua Di Gio

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010  
Issue date: 5/21/2025 Revision date: 5/21/2027

### SECTION 1: Identification

#### 1.1. Product identifier

Product form : Mixture  
Trade name : Desire Fragrance Mens Inspired by Acqua Di Gio  
Type of product : Perfumes, Fragrances  
Product code : SH1913  
Product group : Cosmetics, personal care products

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Perfume

#### 1.3. Supplier's details

##### Manufacturer

Savara Beauty  
9 London St  
Apex Benoni  
South Africa  
T 0104482444

#### 1.4. Emergency telephone number

No additional information available

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to the United Nations GHS

Reproductive toxicity, Category 2 H361

Hazardous to the aquatic environment – Chronic Hazard, Category 2 H411

Full text of H-statements: see section 16

#### 2.2. Label elements

##### Labelling according to the United Nations GHS

Hazard pictograms (GHS ZA) :



Signal word (GHS-ZA) :

Warning

Hazardous ingredients

linalyl acetate, linalool, (+)-limonene, alpha-methyl-1,3-benzodioxole-5-propanal, p-Cymene, p-mentha-1,4-diene, Neryl acetate, cineole, beta-pinene, 3-(p-methoxyphenyl)-2-methylpropionaldehyde, 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one, 2,6-Dimethylhept-5-enal, alpha-pinene, (Z)-citral

Hazard statements (GHS ZA) :

H361 - Suspected of damaging fertility. (Inhalation)

H411 - Toxic to aquatic life with long lasting effects

Precautionary statements (GHS ZA) :

P203 - Obtain, read and follow all safety instructions before use.

P273 - Avoid release to the environment.

P280 - Wear protective clothing, eye protection, face protection.

P318 - IF exposed or concerned, get medical advice.

P391 - Collect spillage.

P405 - Store locked up.

P501 - Dispose of contents and container to a hazardous or special waste collection point.

# Desire Fragrance Mens Inspired by Acqua Di Gio

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

### 2.3. Other hazards

Adverse physicochemical, human health and environmental effects : To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

| Name   | Product identifier                               | %          | Classification according to the United Nations GHS   |
|--|--|------------|--|
| diethyl phthalate  | CAS-No.: 84-66-2                                 | 9 – 12     | Flam. Liq. Not classified<br>STOT RE Not classified<br>Aquatic Acute 3, H402<br>Aquatic Chronic Not classified   |
| linalyl acetate  | CAS-No.: 115-95-7                                | 1.5 – 3    | Flam. Liq. 4, H227<br>Acute Tox. Not classified (Oral)<br>Acute Tox. Not classified (Dermal)<br>Skin Irrit. 2, H315<br>Eye Irrit. 2, H319<br>Skin Sens. 1B, H317<br>Aquatic Acute 3, H402                    |
| linalool   | CAS-No.: 78-70-6<br>EC Index-No.: 603-235-00-2   | 1.5 – 3    | Flam. Liq. 4, H227<br>Acute Tox. Not classified (Dermal)<br>Skin Sens. 1B, H317  |
| 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran | CAS-No.: 1222-05-5<br>EC Index-No.: 603-212-00-7 | 0.3 – 1.5  | Flam. Liq. Not classified<br>Acute Tox. 5 (Oral), H303<br>Acute Tox. 5 (Dermal), H313<br>Aquatic Acute 1, H400<br>Aquatic Chronic 1, H410  |
| (+)-limonene   | CAS-No.: 5989-27-5<br>EC Index-No.: 601-096-00-2 | 0.3 – 1.5  | Flam. Liq. 3, H226<br>Acute Tox. 5 (Oral), H303<br>Acute Tox. Not classified (Dermal)<br>Skin Irrit. 2, H315<br>Skin Sens. 1B, H317<br>Asp. Tox. 1, H304<br>Aquatic Acute 1, H400<br>Aquatic Chronic 1, H410 |
| 7-acetyl-1,1,3,4,4,6-hexamethyltetraline                       | CAS-No.: 1506-02-1                               | 0.3 – 1.5  | Acute Tox. 4 (Oral), H302<br>Acute Tox. Not classified (Dermal)<br>Aquatic Acute 1, H400<br>Aquatic Chronic 1, H410  |
| benzyl benzoate  | CAS-No.: 120-51-4<br>EC Index-No.: 607-085-00-9  | 0.3 – 1.5  | Acute Tox. 5 (Oral), H303<br>Acute Tox. 5 (Dermal), H313<br>Aquatic Acute 2, H401<br>Aquatic Chronic 2, H411   |
| alpha-methyl-1,3-benzodioxole-5-propanal                       | CAS-No.: 1205-17-0                               | 0.03 – 0.3 | Flam. Liq. Not classified<br>Acute Tox. 5 (Oral), H303<br>Acute Tox. 5 (Dermal), H313<br>Skin Sens. 1B, H317<br>Repr. 2, H361<br>Aquatic Acute 2, H401<br>Aquatic Chronic 2, H411                            |

# Desire Fragrance Mens Inspired by Acqua Di Gio

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

| Name  | Product identifier  | %          | Classification according to the United Nations GHS  |
|---|---------------------|------------|---|
| p-Cymene  | -                   | 0.03 – 0.3 | Flam. Liq. 3, H226<br>Acute Tox. Not classified (Oral)<br>Acute Tox. Not classified (Dermal)<br>Skin Irrit. 2, H315<br>Eye Irrit. 2A, H319<br>Repr. 2, H361<br>STOT SE 3, H335<br>Asp. Tox. 1, H304<br>Aquatic Acute Not classified   |
| p-mentha-1,4-diene  | -                   | 0.03 – 0.3 | Flam. Liq. 3, H226<br>Acute Tox. 4 (Oral), H302<br>Acute Tox. Not classified (Dermal)<br>Skin Irrit. 2, H315<br>Eye Irrit. 2A, H319<br>Skin Sens. 1, H317<br>Repr. 2, H361<br>STOT SE 3, H335<br>Asp. Tox. 1, H304<br>Aquatic Acute Not classified<br>Aquatic Chronic 2, H411 |
| Neryl acetate   | -                   | 0.03 – 0.3 | Flam. Liq. Not classified<br>Acute Tox. 4 (Oral), H302<br>Acute Tox. Not classified (Dermal)<br>Skin Irrit. 2, H315<br>Eye Irrit. 2A, H319<br>Skin Sens. 1B, H317<br>Aquatic Acute 2, H401<br>Aquatic Chronic 2, H411   |
| cineole   | CAS-No.: 470-82-6   | 0.03 – 0.3 | Flam. Liq. 3, H226<br>Acute Tox. 5 (Oral), H303<br>Acute Tox. 5 (Dermal), H313<br>Skin Sens. 1B, H317<br>Aquatic Acute 3, H402  |
| beta-pinene   | CAS-No.: 127-91-3   | 0.03 – 0.3 | Flam. Liq. 3, H226<br>Acute Tox. 5 (Oral), H303<br>Skin Irrit. 2, H315<br>Skin Sens. 1B, H317<br>Asp. Tox. 1, H304<br>Aquatic Acute 1, H400<br>Aquatic Chronic 1, H410  |
| 3-(p-methoxyphenyl)-2-methylpropionaldehyde                             | -                   | 0.03 – 0.3 | Flam. Liq. Not classified<br>Acute Tox. Not classified (Oral)<br>Acute Tox. Not classified (Dermal)<br>Eye Irrit. 2A, H319<br>Skin Sens. 1, H317<br>Aquatic Acute Not classified<br>Aquatic Chronic 3, H412   |
| 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one | CAS-No.: 54464-57-2 | 0.03 – 0.3 | Skin Irrit. 2, H315<br>Eye Dam. 1, H318<br>Skin Sens. 1, H317<br>Aquatic Chronic 1, H410  |
| 2,6-Dimethylhept-5-enal   | CAS-No.: 106-72-9   | 0.03 – 0.3 | Flam. Liq. 3, H226<br>Eye Irrit. 2A, H319<br>Skin Sens. 1, H317<br>STOT SE 3, H335  |

# Desire Fragrance Mens Inspired by Acqua Di Gio

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

| Name         | Product identifier                               | %          | Classification according to the United Nations GHS   |
|--------------|--|------------|--|
| alpha-pinene | CAS-No.: 80-56-8                                 | 0.03 – 0.3 | Flam. Liq. 3, H226<br>Acute Tox. 4 (Oral), H302<br>Acute Tox. 5 (Dermal), H313<br>Skin Irrit. 2, H315<br>Skin Sens. 1, H317<br>Asp. Tox. 1, H304<br>Aquatic Acute 1, H400<br>Aquatic Chronic 1, H410 |
| (Z)-citral   | CAS-No.: 5392-40-5<br>EC Index-No.: 605-019-00-3 | 0.03 – 0.3 | Flam. Liq. Not classified<br>Acute Tox. Not classified (Oral)<br>Acute Tox. 5 (Dermal), H313<br>Skin Corr./Irrit. Not classified<br>Skin Sens. 1, H317   |

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.  
First-aid measures after skin contact : Wash skin with plenty of water.  
First-aid measures after eye contact : Rinse eyes with water as a precaution.  
First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

No additional information available

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

No additional information available

##### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area.

##### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

# Desire Fragrance Mens Inspired by Acqua Di Gio

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.  
Other information : Dispose of materials or solid residues at an authorized site.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.  
Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

| diethyl phthalate (84-66-2)                                       |                                    |
|---|------------------------------------|
| South Africa - Occupational Exposure Limits (Restricted Limits)   |                                    |
| Local name  | Diethyl phthalate                  |
| RHCA - STEL/C   | 10 mg/m <sup>3</sup>               |
| Regulatory reference  | Government Notice No. R. 280, 2021 |
| South Africa - Occupational Exposure Limits (Airborne Pollutants) |                                    |
| Local name  | Diethyl phthalate                  |
| OEL TWA   | 5 mg/m <sup>3</sup>                |
| OEL STEL  | 10 mg/m <sup>3</sup>               |
| Regulatory reference  | Government Notice No. R 904        |

### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.  
Environmental exposure controls : Avoid release to the environment.

### 8.3. Individual protection measures, such as personal protective equipment (PPE)

Hand protection : Protective gloves  
Eye protection : Safety glasses  
Skin and body protection : Wear suitable protective clothing  
Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):



### 8.4. Exposure limit values for the other components

No additional information available

# Desire Fragrance Mens Inspired by Acqua Di Gio

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

|   |                     |
|---|---------------------|
| Physical state                                  | : Liquid            |
| Appearance                                      | : No data available |
| Colour  | : No data available |
| Odour   | : No data available |
| Odour threshold                                 | : No data available |
| pH  | : No data available |
| pH solution                                     | : No data available |
| Relative evaporation rate (butylacetate=1)      | : No data available |
| Relative evaporation rate (ether=1)             | : No data available |
| Melting point                                   | : Not applicable    |
| Freezing point                                  | : No data available |
| Boiling point                                   | : No data available |
| Flash point                                     | : No data available |
| Auto-ignition temperature                       | : No data available |
| Decomposition temperature                       | : No data available |
| Flammability                                    | : Non flammable.    |
| Vapour pressure                                 | : No data available |
| Vapour pressure at 50°C                         | : No data available |
| Relative vapour density at 20°C                 | : No data available |
| Relative density                                | : No data available |
| Relative density of saturated gas/air mixture   | : No data available |
| Density   | : No data available |
| Relative gas density                            | : No data available |
| Solubility                                      | : No data available |
| Partition coefficient n-octanol/water (Log Pow) | : No data available |
| Partition coefficient n-octanol/water (Log Kow) | : No data available |
| Viscosity, kinematic                            | : No data available |
| Viscosity, dynamic                              | : No data available |
| Explosive properties                            | : No data available |
| Oxidising properties                            | : No data available |
| Explosive limits                                | : No data available |
| Lower explosion limit                           | : No data available |
| Upper explosion limit                           | : No data available |

#### 9.2. Other information

No additional information available

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

#### 10.5. Incompatible materials

No additional information available

# Desire Fragrance Mens Inspired by Acqua Di Gio

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

|                             |                  |
|-----------------------------|------------------|
| Acute toxicity (oral)       | : Not classified |
| Acute toxicity (dermal)     | : Not classified |
| Acute toxicity (inhalation) | : Not classified |

#### **linalyl acetate (115-95-7)**

|                    |   |
|--------------------|---|
| LD50 oral rat      | > 9000 mg/kg bodyweight (BASF test, Rat, Male / female, Experimental value, Oral, 7 day(s)) |
| LD50 dermal rabbit | > 5000 mg/kg bodyweight (Rabbit, Experimental value, Dermal, 14 day(s))                     |

#### **linalool (78-70-6)**

|                    |   |
|--------------------|---|
| LD50 oral rat      | 2790 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male / female, Weight of evidence, Oral, 014 day(s)) |
| LD50 oral          | ≈ 2790 mg/kg  |
| LD50 dermal rabbit | 5610 mg/kg bodyweight (Equivalent or similar to OECD 402, 24 h, Rabbit, Experimental value, Dermal, 7 day(s))       |

#### **1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran (1222-05-5)**

|                       |  |
|-----------------------|--|
| LD50 oral rat         | > 2000 mg/kg bodyweight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral, 14 day(s)) |
| LD50 dermal rat       | > 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))           |
| LC50 Inhalation - Rat | > 5.04 mg/l air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Inhalation (aerosol), 14 day(s))  |

#### **(+)-limonene (5989-27-5)**

|                    |  |
|--------------------|--|
| LD50 oral rat      | > 2000 mg/kg bodyweight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral, 14 day(s)) |
| LD50 dermal rabbit | > 5000 mg/kg bodyweight (Equivalent or similar to OECD 402, 24 h, Rabbit, Read-across, Dermal, 7 day(s))                             |

#### **7-acetyl-1,1,3,4,4,6-hexamethyltetraline (1506-02-1)**

|                 |  |
|-----------------|--|
| LD50 dermal rat | 7940 mg/kg (Rat, Female, Experimental value, Dermal, 7 day(s)) |
|-----------------|--|

#### **benzyl benzoate (120-51-4)**

|                    |  |
|--------------------|--|
| LD50 oral rat      | > 2000 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s)) |
| LD50 dermal rabbit | > 2000 mg/kg bw/day (Modification of Draize 1959 method, 4 h, Rabbit, Experimental value, Dermal)                |

#### **alpha-methyl-1,3-benzodioxole-5-propanal (1205-17-0)**

|                    |   |
|--------------------|---|
| LD50 oral rat      | 3362 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Female, Experimental value, Oral, 14 day(s))             |
| LD50 dermal rabbit | > 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, Rabbit, Male / female, Experimental value, Dermal, 14 day(s)) |

#### **p-Cymene**

|               |              |
|---------------|--------------|
| LD50 oral rat | ≈ 4750 mg/kg |
|---------------|--------------|

# Desire Fragrance Mens Inspired by Acqua Di Gio

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

|  |   |
|--|---|
| <b>p-Cymene</b>                                    |   |
| LD50 dermal rabbit                                 | ≈ 5000 mg/kg  |
| <b>p-mentha-1,4-diene</b>                          |   |
| LD50 oral rat                                      | ≈ 2000 mg/kg  |
| LD50 dermal rat                                    | ≈ 2000 mg/kg  |
| <b>Neryl acetate</b>                               |   |
| LD50 oral rat                                      | ≈ 2000 mg/kg  |
| LD50 dermal rabbit                                 | ≈ 6 ml/kg   |
| <b>cineole (470-82-6)</b>                          |   |
| LD50 oral rat                                      | 4500 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s))                      |
| LD50 dermal rat                                    | > 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 15 day(s))          |
| <b>beta-pinene (127-91-3)</b>                      |   |
| LD50 oral rat                                      | 4700 mg/kg (Rat, Oral)  |
| <b>3-(p-methoxyphenyl)-2-methylpropionaldehyde</b> |   |
| LD50 oral rat                                      | 4000 – 5000 mg/kg   |
| LD50 dermal rabbit                                 | ≈ 5000 mg/kg  |
| <b>2,6-Dimethylhept-5-enal (106-72-9)</b>          |   |
| LD50 dermal rabbit                                 | ≈ 3000 mg/kg  |
| <b>alpha-pinene (80-56-8)</b>                      |   |
| LD50 oral rat                                      | > 500 mg/kg bodyweight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral, 01 day(s)) |
| LD50 dermal rat                                    | > 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Skin, 14 day(s))            |
| <b>(Z)-citral (5392-40-5)</b>                      |   |
| LD50 oral rat                                      | 6800 mg/kg bodyweight (BASF test, Rat, Male / female, Experimental value, Oral)   |
| LD50 dermal rat                                    | > 2000 mg/kg (BASF test, 24 h, Rat, Male / female, Experimental value, Dermal)  |
| Skin corrosion/irritation                          | : Not classified  |
| Serious eye damage/irritation                      | : Not classified  |
| Respiratory or skin sensitisation                  | : Not classified  |
| Germ cell mutagenicity                             | : Not classified  |
| Carcinogenicity                                    | : Not classified  |
| Reproductive toxicity                              | : Suspected of damaging fertility. (Inhalation).  |
| STOT-single exposure                               | : Not classified  |
| <b>p-Cymene</b>                                    |   |
| STOT-single exposure                               | Not available   |
| <b>p-mentha-1,4-diene</b>                          |   |
| STOT-single exposure                               | Not available   |
| <b>2,6-Dimethylhept-5-enal (106-72-9)</b>          |   |
| STOT-single exposure                               | Not available   |
| STOT-repeated exposure                             | : Not classified  |

# Desire Fragrance Mens Inspired by Acqua Di Gio

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

|   |                                  |
|---|----------------------------------|
| <b>diethyl phthalate (84-66-2)</b>  |                                  |
| NOAEL (oral, rat, 90 days)  | 150 mg/kg bodyweight Animal: rat |
| Aspiration hazard   | : Not classified                 |
| <b>diethyl phthalate (84-66-2)</b>  |                                  |
| Animal studies and expert judgment for classification                                       | False                            |
| <b>linalyl acetate (115-95-7)</b>   |                                  |
| Animal studies and expert judgment for classification                                       | False                            |
| <b>linalool (78-70-6)</b>   |                                  |
| Animal studies and expert judgment for classification                                       | False                            |
| <b>1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran (1222-05-5)</b>           |                                  |
| Animal studies and expert judgment for classification                                       | False                            |
| <b>(+)-limonene (5989-27-5)</b>   |                                  |
| Animal studies and expert judgment for classification                                       | False                            |
| <b>7-acetyl-1,1,3,4,4,6-hexamethyltetraline (1506-02-1)</b>                                 |                                  |
| Animal studies and expert judgment for classification                                       | False                            |
| <b>benzyl benzoate (120-51-4)</b>   |                                  |
| Animal studies and expert judgment for classification                                       | False                            |
| <b>alpha-methyl-1,3-benzodioxole-5-propanal (1205-17-0)</b>                                 |                                  |
| Animal studies and expert judgment for classification                                       | False                            |
| <b>p-Cymene</b>   |                                  |
| Animal studies and expert judgment for classification                                       | False                            |
| <b>p-mentha-1,4-diene</b>   |                                  |
| Animal studies and expert judgment for classification                                       | False                            |
| <b>Neryl acetate</b>  |                                  |
| Animal studies and expert judgment for classification                                       | False                            |
| <b>cineole (470-82-6)</b>   |                                  |
| Animal studies and expert judgment for classification                                       | False                            |
| <b>beta-pinene (127-91-3)</b>   |                                  |
| Animal studies and expert judgment for classification                                       | False                            |
| <b>3-(p-methoxyphenyl)-2-methylpropionaldehyde</b>  |                                  |
| Animal studies and expert judgment for classification                                       | False                            |
| <b>1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one (54464-57-2)</b> |                                  |
| Animal studies and expert judgment for classification                                       | False                            |
| <b>2,6-Dimethylhept-5-enal (106-72-9)</b>   |                                  |
| Animal studies and expert judgment for classification                                       | False                            |
| <b>alpha-pinene (80-56-8)</b>   |                                  |
| Animal studies and expert judgment for classification                                       | False                            |
| <b>(Z)-citral (5392-40-5)</b>   |                                  |
| Animal studies and expert judgment for classification                                       | False                            |

# Desire Fragrance Mens Inspired by Acqua Di Gio

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

### SECTION 12: Ecological information

#### 12.1. Toxicity

|   |   |
|---|---|
| Ecology - general   | : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. |
| Hazardous to the aquatic environment, short-term (acute)  | : Not classified  |
| Hazardous to the aquatic environment, long-term (chronic) | : Toxic to aquatic life with long lasting effects.  |

| <b>diethyl phthalate (84-66-2)</b> |  |
|------------------------------------|--|
| LC50 - Fish [1]                    | 29 mg/l Test organisms (species): Cyprinodon variegatus  |
| LC50 - Fish [2]                    | 12 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)             |
| EC50 72h - Algae [1]               | 23 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) |
| EC50 72h - Algae [2]               | 45 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) |
| NOEC (chronic)                     | 25 mg/l Test organisms (species): Daphnia magna Duration: '21 d'                                   |
| NOEC chronic fish                  | 5 mg/l Test organisms (species): Cyprinus carpio Duration: '28 d'                                  |

| <b>linalyl acetate (115-95-7)</b>                          |  |
|--|--|
| LC50 - Fish [1]  | 11 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Cyprinus carpio, Flow-through system, Fresh water, Experimental value, GLP)                  |
| EC50 - Crustacea [1]                                       | 59 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect) |
| ErC50 algae  | 157 mg/l (DIN 38412-9, 96 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, Nominal concentration)                     |
| BCF - Fish [1]   | 174 l/kg (BCFBAF v3.00, Pisces, Calculated value, Fresh weight)  |
| Partition coefficient n-octanol/water (Log Pow)            | 3.9 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C)   |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 2.7 (log Koc, PCKOCWIN v1.66, Calculated value)  |

| <b>linalool (78-70-6)</b>                                  |   |
|--|---|
| LC50 - Fish [1]  | 27.8 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, GLP)     |
| EC50 - Crustacea [1]                                       | 59 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP) |
| ErC50 algae  | 156.7 mg/l (DIN 38412-9, 96 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, Nominal concentration)      |
| Partition coefficient n-octanol/water (Log Pow)            | 2.8 (Experimental value, Equivalent or similar to OECD 107, 25 °C)  |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 1.9 – 2.2 (log Koc, SRC PCKOCWIN v2.0, Calculated value)  |

| <b>1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran (1222-05-5)</b> |  |
|---|--|
| LC50 - Fish [1]   | 0.95 mg/l (Equivalent or similar to OECD 203, 96 h, Oryzias latipes, Semi-static system, Fresh water, Experimental value)  |
| EC50 - Crustacea [1]  | 0.3 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)                    |
| BCF - Fish [1]  | 1550 – 1635 (OECD 305: Bioconcentration: Flow-Through Fish Test, 28 day(s), Lepomis macrochirus, Flow-through system, Fresh water, Experimental value, Fresh weight) |

# Desire Fragrance Mens Inspired by Acqua Di Gio

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

| <b>1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran (1222-05-5)</b> |  |
|---|--|
| Partition coefficient n-octanol/water (Log Pow)                                   | 5.3 (Experimental value, 25 °C)  |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc)                        | 4.2 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP)  |
| <b>(+)-limonene (5989-27-5)</b>   |  |
| LC50 - Fish [1]   | 720 µg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, Measured concentration)                              |
| EC50 - Crustacea [1]  | 0.31 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semi-static system, Fresh water, Experimental value, Measured concentration)                      |
| ErC50 algae   | 0.32 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Measured concentration)                  |
| BCF - Fish [1]  | 865 l/kg (BCFBAF v3.01, Pisces, QSAR, Fresh weight)  |
| Partition coefficient n-octanol/water (Log Pow)                                   | 4.4 (Experimental value, Equivalent or similar to OECD 117, 37 °C)   |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc)                        | 3 – 3.8 (log Koc, SRC PCKOCWIN v2.0, Calculated value)   |
| <b>7-acetyl-1,1,3,4,4,6-hexamethyltetraline (1506-02-1)</b>                       |  |
| LC50 - Fish [1]   | 0.314 mg/l (Pisces, Literature study)  |
| BCF - Fish [1]  | 1313 (OECD 305: Bioconcentration: Flow-Through Fish Test, 7 day(s), Lepomis macrochirus, Flow-through system, Fresh water, Experimental value, Fresh weight)                       |
| Partition coefficient n-octanol/water (Log Pow)                                   | 5.7 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 24 °C)  |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc)                        | 3.938 – 4.274 (log Koc, SRC PCKOCWIN v2.0, Calculated value)   |
| <b>benzyl benzoate (120-51-4)</b>   |  |
| LC50 - Fish [1]   | 2.32 mg/l (EU Method C.1, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, GLP)   |
| EC50 - Crustacea [1]  | 3.09 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)  |
| BCF - Fish [1]  | 193.4 l/kg (BCFBAF v3.01, Pisces, Calculated value)  |
| Partition coefficient n-octanol/water (Log Pow)                                   | 3.97 (Experimental value, 25 °C)   |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc)                        | 3.8 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP)  |
| <b>alpha-methyl-1,3-benzodioxole-5-propanal (1205-17-0)</b>                       |  |
| LC50 - Fish [1]   | 5.3 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Semi-static system, Fresh water, Experimental value, GLP)  |
| EC50 - Crustacea [1]  | 8.3 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)                                  |
| ErC50 algae   | 28 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Nominal concentration)                     |
| Partition coefficient n-octanol/water (Log Pow)                                   | 2.4 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C)  |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc)                        | 1.85 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP) |

# Desire Fragrance Mens Inspired by Acqua Di Gio

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

|  |   |
|--|---|
| <b>p-Cymene</b>  |   |
| LC50 - Fish [1]  | ≈ 48 mg/l   |
| EC50 72h - Algae [1]                                       | 2.01 – 5.8 mg/l   |
| <b>p-mentha-1,4-diene</b>                                  |   |
| LC50 - Fish [1]  | ≈ 2.792 mg/l  |
| EC50 72h - Algae [1]                                       | ≈ 10.82 mg/l  |
| <b>Neryl acetate</b>                                       |   |
| LC50 - Fish [1]  | ≈ 6 mg/l  |
| EC50 72h - Algae [1]                                       | ≈ 4.9 mg/l  |
| <b>cineole (470-82-6)</b>                                  |   |
| LC50 - Fish [1]  | 57 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Semi-static system, Fresh water, Experimental value, Nominal concentration)                          |
| EC50 - Crustacea [1]                                       | 100 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)  |
| ErC50 algae  | 74 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)                                  |
| BCF - Other aquatic organisms [1]                          | 112 l/kg (Literature study, Fresh weight)   |
| Partition coefficient n-octanol/water (Log Pow)            | 3.4 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method)  |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 2.33 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value) |
| <b>beta-pinene (127-91-3)</b>                              |   |
| LC50 - Fish [1]  | 0.557 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Cyprinus carpio, Semi-static system, Fresh water, Weight of evidence, Other isomer)                                    |
| ErC50 algae  | 0.826 mg/l (OECD 201: Alga, Growth Inhibition Test, 48 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Weight of evidence, Other isomer)                      |
| BCF - Fish [1]   | 1125 l/kg (BCFBAF v3.01, Pisces, Fresh water, QSAR, Other isomer)   |
| Partition coefficient n-octanol/water (Log Pow)            | 4.425 (Similar product, Read-across, Equivalent or similar to OECD 107, 25 °C)  |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 3.009 – 3.836 (log Koc, Calculated value, Other isomer)   |
| <b>3-(p-methoxyphenyl)-2-methylpropionaldehyde</b>         |   |
| LC50 - Fish [1]  | ≈ 5.2 mg/l  |
| EC50 72h - Algae [1]                                       | 7.1 – 26 mg/l   |
| <b>2,6-Dimethylhept-5-enal (106-72-9)</b>                  |   |
| LC50 - Fish [1]  | ≈ 2288 mg/kg  |
| ErC50 algae  | 4.3 – 9.3 mg/l  |
| <b>alpha-pinene (80-56-8)</b>                              |   |
| LC50 - Fish [1]  | 0.303 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, GLP)   |
| EC50 - Crustacea [1]                                       | 0.475 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semi-static system, Fresh water, Experimental value, Locomotor effect)                      |
| BCF - Other aquatic organisms [1]                          | 1233.1 – 1248 l/kg (BCFBAF v3.01, Read-across, Fresh weight)  |

# Desire Fragrance Mens Inspired by Acqua Di Gio

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

| <b>alpha-pinene (80-56-8)</b>                              |  |
|--|--|
| Partition coefficient n-octanol/water (Log Pow)            | 4.487 (Experimental value, Equivalent or similar to OECD 107, 25 °C) |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 3.009 – 3.853 (log Koc, SRC PCKOCWIN v2.0, Calculated value)         |

  

| <b>(Z)-citral (5392-40-5)</b>                   |                               |
|---|-------------------------------|
| Partition coefficient n-octanol/water (Log Pow) | 2.76 – 3.45 (Estimated value) |

### 12.2. Persistence and degradability

| <b>Desire Fragrance Mens Inspired by Acqua Di Gio</b> |                                     |
|---|-------------------------------------|
| Persistence and degradability                         | No additional information available |

  

| <b>linalyl acetate (115-95-7)</b> |                                 |
|-----------------------------------|---------------------------------|
| Persistence and degradability     | Readily biodegradable in water. |

  

| <b>linalool (78-70-6)</b>     |                                 |
|-------------------------------|---------------------------------|
| Persistence and degradability | Readily biodegradable in water. |

  

| <b>1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran (1222-05-5)</b> |  |
|---|--|
| Persistence and degradability   | Not readily biodegradable in the soil. Not readily biodegradable in water. |

  

| <b>(+)-limonene (5989-27-5)</b> |                                    |
|---------------------------------|------------------------------------|
| Persistence and degradability   | Readily biodegradable in water.    |
| ThOD                            | 3.29 g O <sub>2</sub> /g substance |

  

| <b>7-acetyl-1,1,3,4,4,6-hexamethyltetraline (1506-02-1)</b> |                                     |
|---|-------------------------------------|
| Persistence and degradability                               | Not readily biodegradable in water. |

  

| <b>benzyl benzoate (120-51-4)</b> |                                 |
|-----------------------------------|---------------------------------|
| Persistence and degradability     | Readily biodegradable in water. |

  

| <b>alpha-methyl-1,3-benzodioxole-5-propanal (1205-17-0)</b> |                                     |
|---|-------------------------------------|
| Persistence and degradability                               | Not readily biodegradable in water. |

  

| <b>cineole (470-82-6)</b>     |                                 |
|-------------------------------|---------------------------------|
| Persistence and degradability | Readily biodegradable in water. |

  

| <b>beta-pinene (127-91-3)</b> |                                 |
|-------------------------------|---------------------------------|
| Persistence and degradability | Readily biodegradable in water. |

  

| <b>alpha-pinene (80-56-8)</b> |                                 |
|-------------------------------|---------------------------------|
| Persistence and degradability | Readily biodegradable in water. |

  

| <b>(Z)-citral (5392-40-5)</b> |                                 |
|-------------------------------|---------------------------------|
| Persistence and degradability | Readily biodegradable in water. |

### 12.3. Bioaccumulative potential

| <b>Desire Fragrance Mens Inspired by Acqua Di Gio</b> |                                     |
|---|-------------------------------------|
| Bioaccumulative potential                             | No additional information available |

  

| <b>linalyl acetate (115-95-7)</b>               |  |
|---|--|
| BCF - Fish [1]                                  | 174 l/kg (BCFBAF v3.00, Pisces, Calculated value, Fresh weight)  |
| Partition coefficient n-octanol/water (Log Pow) | 3.9 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C) |

# Desire Fragrance Mens Inspired by Acqua Di Gio

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

|   |  |
|---|--|
| <b>linalyl acetate (115-95-7)</b>   |  |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc)                        | 2.7 (log Koc, PCKOCWIN v1.66, Calculated value)  |
| Bioaccumulative potential   | Low potential for bioaccumulation (Log Kow < 4).   |
| <b>linalool (78-70-6)</b>   |  |
| Partition coefficient n-octanol/water (Log Pow)                                   | 2.8 (Experimental value, Equivalent or similar to OECD 107, 25 °C)   |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc)                        | 1.9 – 2.2 (log Koc, SRC PCKOCWIN v2.0, Calculated value)   |
| Bioaccumulative potential   | Low potential for bioaccumulation (Log Kow < 4).   |
| <b>1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran (1222-05-5)</b> |  |
| BCF - Fish [1]  | 1550 – 1635 (OECD 305: Bioconcentration: Flow-Through Fish Test, 28 day(s), Lepomis macrochirus, Flow-through system, Fresh water, Experimental value, Fresh weight)               |
| Partition coefficient n-octanol/water (Log Pow)                                   | 5.3 (Experimental value, 25 °C)  |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc)                        | 4.2 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP)  |
| Bioaccumulative potential   | Potential for bioaccumulation (500 ≤ BCF ≤ 5000).  |
| <b>(+)-limonene (5989-27-5)</b>   |  |
| BCF - Fish [1]  | 865 l/kg (BCFBAF v3.01, Pisces, QSAR, Fresh weight)  |
| Partition coefficient n-octanol/water (Log Pow)                                   | 4.4 (Experimental value, Equivalent or similar to OECD 117, 37 °C)   |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc)                        | 3 – 3.8 (log Koc, SRC PCKOCWIN v2.0, Calculated value)   |
| Bioaccumulative potential   | Potential for bioaccumulation (4 ≤ Log Kow ≤ 5).   |
| <b>7-acetyl-1,1,3,4,4,6-hexamethyltetraline (1506-02-1)</b>                       |  |
| BCF - Fish [1]  | 1313 (OECD 305: Bioconcentration: Flow-Through Fish Test, 7 day(s), Lepomis macrochirus, Flow-through system, Fresh water, Experimental value, Fresh weight)                       |
| Partition coefficient n-octanol/water (Log Pow)                                   | 5.7 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 24 °C)  |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc)                        | 3.938 – 4.274 (log Koc, SRC PCKOCWIN v2.0, Calculated value)   |
| Bioaccumulative potential   | Potential for bioaccumulation (500 ≤ BCF ≤ 5000).  |
| <b>benzyl benzoate (120-51-4)</b>   |  |
| BCF - Fish [1]  | 193.4 l/kg (BCFBAF v3.01, Pisces, Calculated value)  |
| Partition coefficient n-octanol/water (Log Pow)                                   | 3.97 (Experimental value, 25 °C)   |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc)                        | 3.8 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP)  |
| Bioaccumulative potential   | Low potential for bioaccumulation (Log Kow < 4).   |
| <b>alpha-methyl-1,3-benzodioxole-5-propanal (1205-17-0)</b>                       |  |
| Partition coefficient n-octanol/water (Log Pow)                                   | 2.4 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C)  |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc)                        | 1.85 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP) |
| Bioaccumulative potential   | Low potential for bioaccumulation (Log Kow < 4).   |

# Desire Fragrance Mens Inspired by Acqua Di Gio

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

| <b>cineole (470-82-6)</b>                                  |   |
|--|---|
| BCF - Other aquatic organisms [1]                          | 112 l/kg (Literature study, Fresh weight)   |
| Partition coefficient n-octanol/water (Log Pow)            | 3.4 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method)  |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 2.33 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value) |
| Bioaccumulative potential                                  | Low potential for bioaccumulation (Log Kow < 4).  |
| <b>beta-pinene (127-91-3)</b>                              |   |
| BCF - Fish [1]   | 1125 l/kg (BCFBAF v3.01, Pisces, Fresh water, QSAR, Other isomer)   |
| Partition coefficient n-octanol/water (Log Pow)            | 4.425 (Similar product, Read-across, Equivalent or similar to OECD 107, 25 °C)  |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 3.009 – 3.836 (log Koc, Calculated value, Other isomer)   |
| Bioaccumulative potential                                  | Potential for bioaccumulation (4 ≤ Log Kow ≤ 5).  |
| <b>alpha-pinene (80-56-8)</b>                              |   |
| BCF - Other aquatic organisms [1]                          | 1233.1 – 1248 l/kg (BCFBAF v3.01, Read-across, Fresh weight)  |
| Partition coefficient n-octanol/water (Log Pow)            | 4.487 (Experimental value, Equivalent or similar to OECD 107, 25 °C)  |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 3.009 – 3.853 (log Koc, SRC PCKOCWIN v2.0, Calculated value)  |
| Bioaccumulative potential                                  | Potential for bioaccumulation (500 ≤ BCF ≤ 5000).   |
| <b>(Z)-citral (5392-40-5)</b>                              |   |
| Partition coefficient n-octanol/water (Log Pow)            | 2.76 – 3.45 (Estimated value)   |
| Bioaccumulative potential                                  | Bioaccumable.   |

### 12.4. Mobility in soil

| <b>Desire Fragrance Mens Inspired by Acqua Di Gio</b>                             |  |
|---|--|
| Mobility in soil  | No additional information available  |
| <b>linalyl acetate (115-95-7)</b>   |  |
| Surface tension   | No data available in the literature  |
| Partition coefficient n-octanol/water (Log Pow)                                   | 3.9 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C) |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc)                        | 2.7 (log Koc, PCKOCWIN v1.66, Calculated value)  |
| Ecology - soil  | Low potential for adsorption in soil.  |
| <b>linalool (78-70-6)</b>   |  |
| Partition coefficient n-octanol/water (Log Pow)                                   | 2.8 (Experimental value, Equivalent or similar to OECD 107, 25 °C)                                     |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc)                        | 1.9 – 2.2 (log Koc, SRC PCKOCWIN v2.0, Calculated value)   |
| Ecology - soil  | Low potential for adsorption in soil.  |
| <b>1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran (1222-05-5)</b> |  |
| Surface tension   | No data available in the literature  |
| Partition coefficient n-octanol/water (Log Pow)                                   | 5.3 (Experimental value, 25 °C)  |

# Desire Fragrance Mens Inspired by Acqua Di Gio

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

| <b>1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran (1222-05-5)</b> |  |
|---|--|
| Organic Carbon Normalized Adsorption Coefficient (Log Koc)                        | 4.2 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP)  |
| Ecology - soil  | Low potential for mobility in soil.  |
| <b>(+)-limonene (5989-27-5)</b>   |  |
| Surface tension   | No data available in the literature  |
| Partition coefficient n-octanol/water (Log Pow)                                   | 4.4 (Experimental value, Equivalent or similar to OECD 117, 37 °C)   |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc)                        | 3 – 3.8 (log Koc, SRC PCKOCWIN v2.0, Calculated value)   |
| Ecology - soil  | Low potential for mobility in soil.  |
| <b>7-acetyl-1,1,3,4,4,6-hexamethyltetraline (1506-02-1)</b>                       |  |
| Surface tension   | No data available in the literature  |
| Partition coefficient n-octanol/water (Log Pow)                                   | 5.7 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 24 °C)  |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc)                        | 3.938 – 4.274 (log Koc, SRC PCKOCWIN v2.0, Calculated value)   |
| Ecology - soil  | Low potential for mobility in soil.  |
| <b>benzyl benzoate (120-51-4)</b>   |  |
| Surface tension   | 27 mN/m (210 °C)   |
| Partition coefficient n-octanol/water (Log Pow)                                   | 3.97 (Experimental value, 25 °C)   |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc)                        | 3.8 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP)  |
| Ecology - soil  | Low potential for mobility in soil.  |
| <b>alpha-methyl-1,3-benzodioxole-5-propanal (1205-17-0)</b>                       |  |
| Partition coefficient n-octanol/water (Log Pow)                                   | 2.4 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C)  |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc)                        | 1.85 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP) |
| Ecology - soil  | Highly mobile in soil.   |
| <b>cineole (470-82-6)</b>   |  |
| Surface tension   | 61.5 mN/m (20 °C, 1 g/l, EU Method A.5: Surface tension)   |
| Partition coefficient n-octanol/water (Log Pow)                                   | 3.4 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method)   |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc)                        | 2.33 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)      |
| Ecology - soil  | Low potential for adsorption in soil.  |
| <b>beta-pinene (127-91-3)</b>   |  |
| Partition coefficient n-octanol/water (Log Pow)                                   | 4.425 (Similar product, Read-across, Equivalent or similar to OECD 107, 25 °C)   |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc)                        | 3.009 – 3.836 (log Koc, Calculated value, Other isomer)  |
| Ecology - soil  | Low potential for mobility in soil.  |

# Desire Fragrance Mens Inspired by Acqua Di Gio

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

| <b>alpha-pinene (80-56-8)</b>                              |   |
|--|---|
| Partition coefficient n-octanol/water (Log Pow)            | 4.487 (Experimental value, Equivalent or similar to OECD 107, 25 °C)                              |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 3.009 – 3.853 (log Koc, SRC PCKOCWIN v2.0, Calculated value)                                      |
| Ecology - soil   | Low potential for mobility in soil. May be harmful to plant growth, blooming and fruit formation. |

  

| <b>(Z)-citral (5392-40-5)</b>                   |                               |
|---|-------------------------------|
| Partition coefficient n-octanol/water (Log Pow) | 2.76 – 3.45 (Estimated value) |

### 12.5. Other adverse effects

Ozone : Not classified  
Other adverse effects : No additional information available

## SECTION 13: Disposal considerations

### 13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

## SECTION 14: Transport information

In accordance with SANS / IMDG / IATA

| SANS                                    | IMDG  | IATA                                |
|---|---|-------------------------------------|
| <b>14.1. UN number</b>                  |   |                                     |
| 1266                                    | 1266  | 1266                                |
| <b>14.2. Proper Shipping Name</b>       |   |                                     |
| PERFUMERY PRODUCTS                      | PERFUMERY PRODUCTS  | Perfumery products                  |
| <b>14.3. Transport hazard class(es)</b> |   |                                     |
| 3                                       | 3   | 3                                   |
|   |   |                                     |
| <b>14.4. Packing group</b>              |   |                                     |
| III                                     | III   | III                                 |
| <b>14.5. Environmental hazards</b>      |   |                                     |
| Dangerous for the environment : Yes     | Dangerous for the environment : Yes<br>Marine pollutant : Yes | Dangerous for the environment : Yes |
| No supplementary information available  |   |                                     |

### 14.6. Special precautions for user

**SANS**  
Special provisions (SANS) : 223  
Limited quantities (SANS) : 5 L  
Limited quantities (SANS) : 5 L  
Packagings, large packagings and IBCs Packing instructions (SANS) : P001, IBC03, LP01  
Portable tank and bulk containers instructions (SANS) : T2

# Desire Fragrance Mens Inspired by Acqua Di Gio

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Portable tank and bulk container special provisions (SANS) : TP1

### IMDG

Special provisions (IMDG) : 163, 223, 904, 955  
Limited quantities (IMDG) : 5 L  
Excepted quantities (IMDG) : E1  
Packing instructions (IMDG) : P001, LP01  
IBC packing instructions (IMDG) : IBC03  
Tank instructions (IMDG) : T2  
Tank special provisions (IMDG) : TP1  
EmS-No. (Fire) : F-E - FIRE SCHEDULE Echo - NON-WATER-REACTIVE FLAMMABLE LIQUIDS  
EmS-No. (Spillage) : S-D - SPILLAGE SCHEDULE Delta - FLAMMABLE LIQUIDS  
Stowage category (IMDG) : A  
Properties and observations (IMDG) : Miscibility with water depends upon the composition.

### IATA

PCA Excepted quantities (IATA) : E1  
PCA Limited quantities (IATA) : Y344  
PCA limited quantity max net quantity (IATA) : 10L  
PCA packing instructions (IATA) : 355  
PCA max net quantity (IATA) : 60L  
CAO packing instructions (IATA) : 366  
CAO max net quantity (IATA) : 220L  
Special provisions (IATA) : A3, A72  
ERG code (IATA) : 3L

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health, and environmental national regulations specific for the product

No additional information available

## SECTION 16: Other information

Issue date : 21/05/2025  
Revision date : 21/05/2027

| Full text of H-statements |  |
|---------------------------|--|
| H224                      | Extremely flammable liquid and vapour        |
| H226                      | Flammable liquid and vapour                  |
| H227                      | Combustible liquid                           |
| H302                      | Harmful if swallowed                         |
| H303                      | May be harmful if swallowed                  |
| H304                      | May be fatal if swallowed and enters airways |
| H313                      | May be harmful in contact with skin          |
| H315                      | Causes skin irritation                       |
| H317                      | May cause an allergic skin reaction          |
| H318                      | Causes serious eye damage                    |
| H319                      | Causes serious eye irritation                |
| H335                      | May cause respiratory irritation             |

# Desire Fragrance Mens Inspired by Acqua Di Gio

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

| Full text of H-statements |  |
|---------------------------|--|
| H361                      | Suspected of damaging fertility or the unborn child            |
| H372                      | Causes damage to organs through prolonged or repeated exposure |
| H400                      | Very toxic to aquatic life                                     |
| H401                      | Toxic to aquatic life  |
| H402                      | Harmful to aquatic life  |
| H410                      | Very toxic to aquatic life with long lasting effects           |
| H411                      | Toxic to aquatic life with long lasting effects                |
| H412                      | Harmful to aquatic life with long lasting effects              |

Safety Data Sheet (SDS), South Africa

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.